



ISO 9001:2015



ISO 13485:2016



CE



EU Representative
Dialysis Chair



EU Representative
Patient Transfer Stretcher



EU Representative
Delivery Table



EU Representative
Surgical Light



EU Representative
Medical Cart



EU Representative
Electric Hospital Bed



EU Representative
Surgical Table

medik

2024

A LEADING BRAND FOR
HOSPITAL FURNITURE
SOLUTION

Zhangjiagang Medi Medical Equipment Co., Ltd.

Address: NO. 3 Jinxiu Road, Jinfeng Industrial Zone, Jinfeng Town,
Zhangjiagang City, Jiangsu Province, China

Tel: +86 139 6223 1292

E-mail: info@medik-medical.com

Web: www.medik-medical.com



You Tube




Medik

Better Care , Better Comfortable

Zhangjiagang Medi Medical Equipment Co., Ltd.





Installation cases for some of honourable hospitals.

 In Germany	 In Denmark	 In Slovenia	 In Slovakia	 In Georgia	 In Peru
 In Colombia	 In Costa Rica	 In Nicaragua	 In Mexico	 In Honduras	 In Ecuador
 In Guyana	 In Peru	 In Nicaragua	 In Zimbabwe	 In Zimbabwe	 In Zimbabwe
 In Nigeria	 In Tanzania	 In India	 In Bengal	 In Maldives	 In Hongkong
 In Laos	 In Thailand	 In Philippines	 In Philippines	 In Papua New Guinea	 In Macau

medik

DEVELOPMENT

1995

Company was founded in 1995 with a limited facility but strong quality consciousness.



2002

Medik made its first exportation to client in Hungary in 2002, who came back to make additional purchase for its new expansion after 10 years.



2005

ERP management system was adopted to improve the working efficiency and minimize the communication mistake.



2009

Robot welding center and intelligent assembly line were equipped to open a new era of intelligent production system.



2012

New ICU bed Totalchair bed was developed successfully after three years research and test with great feedback.



2014

New Mcare maternity bed was developed successfully after five years research and test with great feedback.




2015

A package of ICU bed, transfer stretcher, medical carts, maternity bed and so were equipped in international hospital of Gleneagles Kota Kinabalu.



2016

Branch offices are established in Hungary and New Zealand for better pre-sales and after-sales service.



2019

New pediatric series "Pcare" launched for market.



2021

Medik's products and service have reached over 5000 hospitals and medical institutions worldwide.



2022

Medik has delivered 20,000 ICU electric beds to global clients worldwide during the Covid pandemic period.



2023

Medik is adopting industrial 4.0 concept to improve the manufacturing facility.



Better Care , Better Comfortable
Enterprise
development process

Products

Hospital Bed	07
Pediatric Bed	40
Baby Bed	47
Patient Transfer	51
StretcherTreatment Table	63
Woode Massage Bed	67
Medical Exam Table	67
Ultrasound Exam TablePediatric	71
Exam Table	73
Dialysis Chair	75
Delivery Bed	81
Gynaecological Table	85
Bedside Cabinet	94
Overbed Table	97
Medical Cart	99
Medical Chair	117
Mattress & Infusion Stand	122
Infusion Stand	129
CSSD	132



Better Care
Better Comfortable

◆ YA-D8-1

Main features

- Total chair position
- 7 movements electrical operation
- Four split tuck away type railing
- Incorporated railing control with identifiable icon
- Nurse control facing outside of the rail
- One button chair position
- Electric CPR
- Manual CPR
- One button examination position
- Degree indicator
- X-ray translucent back section
- Detachable head/foot board with easy lock
- Pushing handle in head end
- Fifth wheel for direction movement
- Central brake with wheel dia 150mm
- Bed extension by motor
- Auto-regress
- Auto-counter
- Night light
- Battery backup
- Bumper caster on four corners

Accessories


- IV stand
- Urine bag hook
- Mattress

Options

- Weighing scale & Touch screen
- Bed exit alarm

Technical parameter

Overall size	2020*1050*500-1000mm
Bed length extension	200mm
Lying size	1960*900mm
Back section adjustment	0-75°
Foot section adjustment	0-40°
Height adjustment	500-1000mm
Trendelenburg	0-10°
Reverse Trendelenburg	0-10°
Loading capacity	250kg



◆ YA-D8-2

Main features

- Total chair position
- 8 movements electrical operation
- Four split tuck away type railing
- Incorporated railing control with identifiable icon
- Nurse control facing outside of the rail
- One button chair position
- Tilting function via 3 column
- Electric CPR
- Manual CPR
- One button examination position
- Degree indicator
- X-ray translucent back section
- Detachable head/foot board with easy lock
- Pushing handle in head end
- Fifth wheel for direction movement
- Central brake with wheel dia 150mm
- Bed extension by motor
- Auto-counter
- Night light
- Battery backup
- Bumper caster on four corners

Accessories

- IV stand
- Urine bag hook
- Mattress

Options

- Weighing scale & Touch screen
- Bed exit alarm

Technical parameter

Overall size	2150*1010*675-900mm
Bed length extension	200mm
Lying size	1960*900mm
Back section adjustment	0-62°(±3°)
Foot section adjustment	0-23°(±3°)
Height adjustment	675-900mm
Trendelenburg	0-14°(±2°)
Reverse trendelenburg	0-12°(±2°)
Tilt left/right	0-10°(±2°)
Loading capacity	250kg



◆ YA-D7-3

Main features

- Four split tuck away side railing
- Embedded side railing control for patient and nurse
- Embedded touch screen nurse control in foot board
- Detachable head/foot panel with easy locking
- Caster dia 125mm with central locking
- Bump caster on four corners.
- X-ray platform with cassette holder
- Length extension
- Weighing scale
- Auto locking
- Degree indicator embedded in all side railing
- Emergency stop button
- Night light
- Manual CPR on both side
- Foot pedal control
- Battery back up


Accessories

- IV stand
- Urine bag hook
- Mattress


Technical parameter

Overall size	2120*1050*510mm
Height adjustment range	510-910mm
Back board	0-75°
Knee board	0-45°
Tren and Reverse Tren	0-15°
Lateral Tilting	0-15°
Length extension	150mm
Safety working load	240kg
N.W	249KG
G.W	280KG

Electric ICU Bed (Seven function)



Electric ICU Bed (Seven function) merik



◆ YA-D7-2

Main features

- Two column type structure for C-arm access
- Electric motors are 220V,50Hz.
- WVith self-chargeable battery system
- Castors with central locking system
- Side rail embedded control panele
- Both electric and manual CPR
- Auto Counter and Auto regress
- Battery back up

Options

- X-ray translucent platform
- Foot extension
- Nurse control board
- Weighing scale

Accessories

- IV stand
- Urine bag hook
- Mattress

Technical parameter

Overall size	2280*1050*500-750mm
Lying size	1950*990mm
Back section up/down	0-75°
Foot section up/down	0-40°
Height adjustment	500-750mm
Trendelenburg	0-12°
Revere- Trendelenburg	0-12°
Weight	250kg

◆ YA-D6-1

Main features

- Stable double column structure
- Four section MS perforated platform
- Removable ABS head and foot panel
- Electric and manual CPR
- Auto-Counter
- One button chair position
- One button lying flat position
- Tilt CPR
- Individual locking function for every set of button
- Warning light when the bed is not in the lowest position
- Castor with no brake alarm
- Battery backup
- Night light
- Four provision for IV pole

Accessories

- IV stand
- Urine bag hook
- Mattress

Technical parameter	
Overall size	2150*1050*500-950mm
Lying surface size	1950*860mm
Back section	0-70°±5°
Knee section	0-33°±3°
Foot section up/down	+10°~18°
Height adjustment	500-950mm
Trendelenburg	0-15°±2°
Revere- Trendelenburg	0-15°±2°
Bed surface extension,manuallly	0-100mm
Safe working load	230kg
Castor	Dia 125mm



◆ YA-D5-13

Main features

- Four split side rail with embedded railing control
- Detachable head/foot board with easy lock
- Central brake system is adopted with dual braking pedals on both sides
- Bumper caster is located on four corners
- Auto-counter to provide the patient from sliding onto foot end
- Electric and Manual CPR
- Angle indicators highlight elevation in the 30°-45°range

Accessories Options

- IV stand
- Urine bag hook
- Mattress
- Battery backup

Technical parameter	
Overall size	2200*990*465-765mm
Lying size	1950*900mm
Back section adjustment	0-75°
Knee section adjustment	0-40°
Height adjustment	465-765mm
Trendelenburg	0-12°
Reverse-Trendelenburg	0-12°
Loading capacity	225kg





◆ YA-D5-11

Main features

- Four split side rail, drop down
- Hand remote control
- Detachable head/foot board with easy lock
- Central brake system with wheel diameter of 125mm
- Bumper caster on four corners
- Auto-counter to provide the patient from sliding onto foot end
- With angle indicator embeded in the railing for back and trendelenburg adjustment(optional)
- Manual CPR on both sides
- Incorporated railing control

Accessories


- IV stand
- Urine bag hook
- Hand remote controller
- Angle indicator

Options

- Nurse controller
- 5th direction wheel
- Mattress

Technical parameter

Overall size	2200*990*445-775mm
Lying size	1950*900mm
Back section adjustment	445-775mm
Foot section adjustment	0 -75°
Height adjustment	0 - 40°
Trendelenburg	0 -12°
Reverse Trendelenburg	0 -12°
Loading capacity	225kg



◆ YA-D5-2

Main features

- Stable double column structure
- Four section MS perforated platform
- Removable ABS head and foot panel
- Electric and manual CPR
- Auto-Counter
- One button chair position
- One button lying flat position
- Individual locking function for every set of button
- Warning light when the bed is not in the lowest position
- Castor with no brake alarm
- Battery backup
- Night light
- Four provision for IV pole

Accessories

- IV stand
- Urine bag hook
- Mattress

Options

- Nurse controller

Technical parameter

Overall size	2150*1050*490-790mm
Lying surface size	1950*860mm
Back section	0-70°±5°
Knee section	0-33°±3°
Foot section up/down	+10°~18°
Height adjustment	490-790mm
Trendelenburg	0-15°±2°
Reverse- Trendelenburg	0-15°±2°
Bed surface extension,manuallly	0-100mm
Safe working load	230kg
Castor	Dia 125mm



◆ YA-D6-4

Main features

- Embedded side railing controle
- Embedded nurse control in foot board with locking
- keys
- Remote hand control
- Detachable head/foot board
- 4 pcs tuck away side railing with degree indicator
- Manual and electric CPR
- 4 pcs dia 125mm wheels with central locking

Accessories Options

- IV stand
 - Urine bag hook
 - Mattress
- ABS platform
 - Battery backup
 - Nurse controller
 - Weighing scale
 - LED touch screen

Technical parameter

Overall size	2050*1030*460mm
Height adjustment range	460-720mm
Backrest adjustment	0-70 °
Leg adjustment	0-40 °
Tren and Reverse-tren	0-12°
Safety loading weight	220kg



◆ YA-D5-9

Main features


- Electrophoresis and powder coating
- Wholly molded cold steel sleeping platform
- Four split side rail,drop down under the bed platform
- Hand remote control
- Detachable head/foot board with easy lock
- Central brake system with wheel diameter of 125mm
- Steel bed frame,stainless steel traction shelf
- I.V. pole

Accessories

- IV stand
- Urine bag hook
- Mattress

Technical parameter

Overall size	1850*900*500mm
Lying surface size	1750*820mm
Height adjust range	500-720mm
Back board	0-75°
Knee board	0-45°
Tren/Reverse Tren	0-12°
Loading weight	200kg



◆ YA-D5-4

Main features

- Four split side rail,drop down under platform
- Hand remote control
- Detachable head/foot board with easy lock
- 125mm Caster, 2 with locking
- Bumper caster on four corners
- Auto-counter to provide the patient from sliding onto foot end
- Electric CPR function


Accessories

- IV stand
- Urine bag hook
- Mattress

Options

- Manual CPR
- Cetral locking
- Nurse control board
- Battery backup

Technical parameter	
Overall size	2100*980*500-750mm
Lying size	1900*900mm
Back section up/down	0-75°
Foot section up/down	0-40°
Height adjustment	500-750mm
Trendelenburg	0-12°
Revere- Trendelenburg	0-12°
Loading capacity	200kg



◆ YA-D5-5

Main features

- Four split plastic side rail with angle indicator
- Steel platform with ventilator hole
- Remote hand control with electric CPR
- Detachable head/foot board with easy locking
- 4 pcs dia 125mm swivel castor, 2 with locking
- Manual CPR on both sides
- Bumper caster on four corners
- Auto-counter


Accessories


- IV stand
- Urine bag hook
- Mattress

Options

- Manual CPR
- Cetral locking
- Nurse control board
- Battery backup

Technical parameter	
Size	2200*1060*470-720mm
Lying surface	1960*900mm
Overall Height	470-720mm
Back section adjustable	0-75°
Knee section adjustable	0-40°
Trendelenburg	0-12°
Anti-trendeleburg	0-12°
Safe working load	225kg





◆ YA-D3-1 Extra Low Type

Main features

- Foldable aluminum alloy side railing
- Detachable head/foot board
- Remote hand control
- Cold rolled steel platform
- Accessories: IV pole, Urine hook, 125mm castor

Accessories

- IV stand
- Urine bag hook
- Mattress

Options


- Manual CPR
- Cetral locking
- Nurse control board
- Battery backup

Technical parameter

Overall size	2120*970*250mm
Height range	250-500mm
Back board	0-75°
Knee board	0-40°
Castor Dia	100mm



- Extra Low Type



◆ YA-D3-3

Main features

- Collapsible aluminum railing with 6 bars
- Hand remote control
- Detachable head/foot board with easy lock
- Caster diameter of 125mm with diagonal locking
- Bumper caster on four corners
- Auto-counter to provide the patient from sliding onto foot end

Accessories


- IV stand
- Urine bag hook
- Mattress


Options

- Manual CPR
- Cetral locking
- Nurse control board
- Battery backup

Technical parameter

Overall Size	2130*970 *500-750 mm
Lying Size	1880*830 mm
Back section adjustment	0-75°
Foot section adjustment	0-40°
Height adjustment	500-750 mm
Loading capacity	175kg





◆ YA-D3-4

Main features

- Low height bed
- 3 movements electrical operation
- Collapsible aluminum railing with 6 bars
- Hand remote control
- Detachable head/foot board with easy lock
- Caster diameter of 125mm with diagonal locking
- Bumper caster on four corners
- Auto-counter to provide the patient from sliding onto foot end

Accessories

- IV stand
- Urine bag hook
- Mattress

Options

- Manual CPR
- Cetral locking
- Nurse control board
- Battery backup

Technical parameter	
Overall size	2130*970*350-650mm
Lying size	1880*830mm
Back section adjustment	0-75°
Foot section adjustment	0-40°
Height adjustment	350-650mm
Loading capacity	200kg



◆ YA-D2-2

Main features

- Four section MS perforated platform with ventilation hole, molded
- Full length guardrail with safety gap
- Removable head and foot board with lock device and patient card holder
- Auto-Counter
- Battery backup (optional)
- Four provision for IV pole
- Drainage bag holders

Accessories

- IV stand
- Urine bag hook
- Mattress

Options

- Manual CPR
- Cetral locking
- Nurse control board
- Battery backup

Technical parameter	
Overall size	2130*970*500mm
Lying surface size	1880*830mm
Back section	0-80°
Leg section	0-45°
Safe working load	200kg
Castor	Dia 125mm





medik
Nursing Care Bed



◆ **YA-DH4-1**

Main features

- 4 section bed surface with wire mesh design
- Hand rails to further aid transfer onto and off the bed
- Remote hand control for movements
- Profiled bed rotates through 90° to become chair
- Chair tilts forwards to aid transfer between sitting and standing
- One button chair rotation position
- Safety feature will not allow bed to tilt unless fully rotated
- Auto-counter function
- Four noiseless swivel castor,two with brake
- Can be set up to rotate either to the left or right
- Comes complete with foam mattress
- Easy clean, low maintenance

Accessories

- IV stand
- Urine bag hook

Technical parameter

Size	2100*1000*510mm
Back board	0-80°
Knee board	0-45°
Height range	510-810mm
Rotation	90°
Safy loading weight	240kg
Packing size	2130*910*580mm
N.W/G.W	145/165kg
Castors	125mm, swivel type



◆ YA-DH5-3

Main features


- Electrically operated profiling bed for community and nursing home use
- Safe work load (SWL) 180Kg
- Variable height (300mm - 700mm)
- Wooden head and footboard with aluminum columns around
- Adjustable self-locking side rails provide additional safety which can be released at both head and foot ends
- Remote handset control
- High-quality castors (castor diameter: 100mm)
- Quick and easy assembly in limited space

Options

- Lifting pole with triangle
- Aluminum side raling
- Mattress
- battery backup
- Wooden platform

Technical parameter

Overall size	2160*1030 *300-700mm
Lying size	1900*900 mm
Backrest adjustable	0-75°
Footrest adjustable	0-40°
Height adjustable	300-700mm
Trendelenburg	0-12°
Reverse-Trendelenburg	0-12°
Loading capacity	180kg



• low entry type

◆ YA-DH5-1

Main features

- Electrically operated profiling bed for community and nursing home use
- Safe work load (SWL) 180Kg
- Variable height (400mm - 800mm)
- Wooden head and footboard with aluminum columns around
- Adjustable self-locking side rails providing additional safety which can be released at both head and foot ends
- Remote handset control
- High-quality design castors (castor diameter: 100mm)
- Quick and easy assembly, even within limited space
- Walnut/Oak/Maple color options available (please note minimum order quantities requirement)

Accessories


- Handset control


Options

- Lifting pole with triangle
- Aluminum side raling
- Mattress
- battery backup
- Wooden platform

Technical parameter

Overall size	2155*1035 *400-800mm
Lying size	1900*900 mm
Back section up/down	0-75°
Foot section up/down	0-40°
Height adjustment	400-800mm
Trendelenburg	0-12°
Revere- Trendelenburg	0-12°
Safe loading capacity	180kg





◆ YA-DH5-2

Main features

- Single panel for head/foot board
- Electrically operated profiling bed for community and nursing home use
- Safe work load (SWL) 180Kg
- Variable height (400mm - 800mm)
- Wooden head and footboard with aluminum columns around
- Adjustable self-locking side rails providing additional safety which can be released at both head and foot ends
- Remote handset control
- High-quality design castors (castor diameter: 100mm)
- Quick and easy assembly, even within limited space
- Walnut/Oak/Maple color options available (please note minimum order quantities requirement)

Accessories

- Handset control

Options

- Lifting pole with triangle
- Aluminum side raling
- Mattress
- battery backup
- Wooden platform

Technical parameter

Overall size	2155*1035 *400-800mm
Lying size	1900*900 mm
Back section up/down	0-75°
Foot section up/down	0-40°
Height adjustment	400-800mm
Trendelenburg	0-12°
Revere- Trendelenburg	0-12°
Safe loading capacity	180kg



◆ YA-SH3-1

Main features

- Electric adjustment for back board and knee board
- Manual crank operation for bed height adjustment
- Side railing height adjustment by mechanical knob
- Remote hand control
- 4 pcs 3 inch swivel type wheels, 2 with locking
- Mattress holder
- Steel frame with powder coating treatment

Accessories

- IV stand
- Urine bag hook
- Hand remote controller

Technical parameter

Overall size	2050*950*460-670mm
Lying size	1900*900mm
Back section adjustment	0-75°
Foot section adjustment	0-40°
Height adjustment	460-670mm
Loading capacity	180kg



◆ MK-AT01

Main features

- The part that directly contacts the person is polyurethane foam
- The trolley's seat board and bottom leg can be adjusted to facilitate patient entry and exit
- Low-chassis easy access to the bed or other areas needed minimum base height
- Heavy duty base with anti-slip pedal for patient safety
- Cushioned hand all the handrail is for holding to provide safety and comfortable with cushioned cover

Technical parameter

Trolley size	780*615*1070mm
Front castor diameter	Φ75mm
Rear castor diameter	Φ100mm with brake
Trolley weight	23kg
Loading capacity	130kg

Options

- Safety belt (by 50mm)



◆ YA-H5-1

Main features

- Bed Frame electrophoresis and powder coating
- Mesh bed platform, easy to ventilate
- Stainless steel with MDF Headboard and footboard, removable
- Back section is adjusted by crank
- Knee section is adjusted by crank
- Castors 125mm diameter and 2pcs with brakes
- Trendelenburg and reverse trendelenburg adjust by gas spring
- Height adjust by hydraulic pump




Technical parameter

Overall Size	2050*950*500-800mm
Lying surface	1950*900mm
Back section adjustable	0° to 70°
Knee section adjustable	0° to 40°
Height adjustable	500-800mm
Trend&reverse trend	0-10°
Safe working load	200kg

◆ YA-H3-2

Main features

- Four sections Fowler bed, rectangular section steel tube, electrostatic epoxy-coated
- Removable stainless steel with MDF Headboard and footboard
- Platform fitted with epoxy-painted steel weldmesh in four sections
- Adjustable backrest and legrest by means of two independent cranks
- Variable height adjustable by hydraulic pump
- Bumpers at all four corners
- 125mm diameter caster, diagonal locking Knock down construction



Accessories

- IV stand
- Urine bag hook

Technical parameter

Overall size	2150*920 *500-750mm
Back section adjustment	0-75°
Foot section adjustment	0-40°
Height adjustment	500-750mm
Loading capacity	200kg

◆ YA-H3-1

Main features

- ABS head/foot board, detachable
- Collapsible aluminum side rail
- Cold rolled steel robust structure, molded platform, electrostatic epoxy-coated
- Height adjustable through hydraulic operation via pedallocated on both sides
- Adjustable backrest and legrest by two independent cranks
- 125mm diameter caster with dust proof cover, diagonal locking

Accessories

- IV stand
- Urine bag hook

Technical parameter

Overall size	2160*960*450~750mm
Lying size	1950*900mm
Back section up/down	0-75°
Foot section up/down	0-40°
Height adjustment	450-750mm
Safe loading capacity	200kg



◆ YA-M3-2

Main features

- Bed Frame electrophoresis and powder coating
- Slatted bed platform, strong and easy to ventilate
- Foldable aluminum side rail with 6 bar
- Stainless steel with MDF Headboard and footboard, removable
- 3 foldable cranks
- Castors 125mm diameter with diagonal locking

Technical parameter

Overall Size	2160*940*500-750mm
Lying surface	1990*870mm
Back section adjustable	0° to 60°
Leg section adjustable	0° to 40°
Height adjustable	500-750mm
Safe working load	195kg



◆ YA-M3-4

Main features

- Cold rolled steel robust structure, molded platform, electrostatic epoxy-coated
- Four ABS split side rail, drop down under the bed platform
- ABS head/foot board, detachable
- Adjustable backrest, kneerest, Hi-LOW, by three independent cranks
- With angle indicator embedded in the railing
- Double-sided casters with diameter of 125 mm, all 4pcs have brakes
- Bumper corners around the bed

Accessories

- IV pole
- urine bag hook

Technical parameter

Overall size	2240*1085*450-700mm
Lying size	1990*870mm
Backrest adjustable	0° to 70°
Footrest adjustable	0° to 40°
Height adjustable	450-700mm
Loading capacity	200kg



◆ YA-M3-1

Main features


- Cold rolled steel robust structure, molded platform,electrostatic epoxy-coated
- ABS head/foot board, detachable
- Adjustable backrest, kneerest, Hi-LOW, by three independent cranks
- Collapsible aluminum side rail
- 125mm diameter caster with dust proof cover, diagonal locking
- Bumpers on four corners

Accessories

- IV stand
- Urine bag hook

Technical parameter

Overall size	2160*960*500-750mm
Lying size	1950*870mm
Backrest adjustable	0-75°
Footrest adjustable	0-40°
Height adjustable	500-750mm
Loading capacity	195kg



◆ YA-M2-2

Main features

- Cold rolled steel robust structure, molded platform,electrostatic epoxy-coated
- ABS head/foot board, detachable
- Adjustable backrest, kneerest, by three independent cranks
- Collapsible aluminum side rail
- Aluminum alloy traction system
- Central brake system with 125mm diameter castors

Accessories

- IV stand
- Urine bag hook

Technical parameter

Overall size	2220*990*490mm
Lying size	1960*880 mm
Back section adjustment	0-75°
Foot section adjustment	0-40°
Loading capacity	200kg



◆ YA-M2-3

Main features

- Cold rolled steel robust structure, molded platform, electrostatic epoxy-coated
- ABS head/foot board, detachable
- Collapsible aluminum side rail
- Adjustable backrest, kneerest, by three independent cranks
- 125mm diameter caster with dust proof cover, diagonal locking
- Bumpers on four corners

Accessories

- IV stand
- Urine bag hook

Technical parameter

Overall Size	2160*960*550mm
Lying surface	1950*870mm
Back section adjustable	0° - 75°
Leg section adjustable	0° - 40°
Height adjustable	550mm
Safe working load	180kg



◆ YA-M2-5

Main features

- Cold rolled steel robust structure,electrostatic epoxy-coated
- Integrated head/foot board with vertical rod
- Swing up/down side railing
- Adjustable backrest, kneerest, by two independent SS cranks
- 125mm diameter caster with dust proof cover, diagonal locking

Accessories

- IV stand
- Urine bag hook



◆ YA-M2-6

Main features

- Cold rolled steel robust structure,electrostatic epoxy-coated
- ABS head/foot board, detachable
- Collapsible aluminum side rail
- Adjustable backrest, kneerest, by two independent SS cranks
- 125mm diameter caster with dust proof cover, diagonal locking
- Anti-collision corners around the bed

Accessories

- IV stand
- Urine bag hook



Technical parameter	
Overall size	2000*900 *530mm
Back section adjustment	0-75°
Foot section adjustment	0-40°
Fixed height	530mm
Loading capacity	180kg

Technical parameter	
Overall size	2160*960*550mm
Back section adjustment	0-75°
Foot section adjustment	0-40°
Fixed height	550mm
Loading capacity	180kg

◆ YA-M1-1

Main features

- Cold rolled steel robust structure,electrostatic epoxy-coated
- ABS head/foot board, detachable
- Collapsible aluminum side rail
- Adjustable backrest by one independent crank
- 125mm diameter caster with dust proof cover, diagonal locking
- Anti-collision corners around the bed

Accessories

- IV stand
- Urine bag hook

Technical parameter	
Overall size	2150*960*500mm
Back section adjustment	0°- 75°
Fixed height	500mm
Loading capacity	180kg



◆ YA-M1-2

Main features

- Cold rolled steel robust structure,electrostatic epoxy-coated
- Integrated head/foot board with vertical rod
- Adjustable backrest by one independent crank
- 125mm diameter caster, diagonal locking

Accessories

- IV stand
- Urine bag hook

Technical parameter	
Overall size	2100*980 *550mm
Lying size	1910*840 mm
Back section adjustment	0-75°
Fixed height	550mm
Loading capacity	175kg



◆ YA-M0-1

Main features

- Cold rolled steel robust structure, electrostatic epoxy-coated
- Integrated head/foot board with vertical rod
- 125mm diameter caster, diagonal locking

Accessories

- IV stand
- Urine bag hook



Technical parameter

Overall size	2100*980 *550mm
Lying size	1910*840 mm
Fixed height	550mm
Loading capacity	175kg

◆ YA-M0-2

Main features

- Cold rolled steel robust structure, electrostatic epoxy-coated
- Stainless steel integrated head/foot board with vertical rod
- With rubber feet against floor clash

Accessories

- IV stand
- Urine bag hook




Technical parameter

Overall size	2000*900 *520mm
Fixed height	520mm
Loading capacity	180kg

medik
Pediatric bed





◆ YA-PD5-1

Main features

- Full protection with elevated high railing for kids, 360° full-enclosed protection
- Tuck-away 4 pieces split railing with angle indicator
- Five functions with 4 motors to get positions for back rest,knee rest, Hi-LOW,Trendelenburg and Reverse-Trendelenburg
- Manual CPR handle accessible on both sides
- One button CPR function available on hand remote control
- Central brake system with 125mm diameter dual sided casters
- Auto-counter to provide the patient from sliding to foot end
- Bumper casters on four corners
- Plug-in type head/foot board with easy lock
- Fashion cartoon photos optional for the side rail

Accessories

- IV stand
- Urine bag hook
- Mattress

Options

- Weighing function
- Night lamp
- Bed exit alarm
- Vertical oxygen holder
- Examination position
- Cardiac chair position

Technical parameter

Overall Size(L*W)	1840*980mm
Mattress platform	1600*750mm
Height adjustment	600-960mm
Back-rest adjustment	0°-70°(+5°)
Knee-rest adjustment	0°-40°(+5°)
Reverse Trendelenburg	0-14°(+2°)
Trendelenburg	0-14°(+2°)
Voltage and frequency	110-230V, 50/60Hz




◆ YA-PD5-2

Main features

- Remote control and nurse control
- Electronic adjustment of backrest, legrest, and height positions
- Manual CPR (for backrest), electronic CPR
- One button chair position
- Auto-regress to remove the pressure of the abdomen when adjusting the backrest
- Auto-counter to provide the patient from sliding onto foot end
- Foldable side rails and removable head/foot boards made of ABS
- 4 sections lying surface made of HDPE
- 360° turning castors (125 mm), 2 of them with brakes.
- Bumpers on 4 corners
- Urine bag holder
- Holes for IV pole and lifting pole on 4 corners
- Electrostatic epoxy polyester powder metal parts
- Angle indicators on side rails

Technical parameter

Overall Size	1840*980*600mm
Mattress size	1580*730*100mm
Height adjustment	600~1000mm
Back-rest adjustment	0-70°
Knee-rest adjustment	0-30°
Reverse Trendelenburg	0-12°
Trendelenburg	0-12°
Loading capacity	240 kg
Castor	Dia 150mm



◆ YA-PD5-4

Main features

- 360°surrounding side railing
- Transparency from all angles
- Attractive fashion appearance
- Double lock railing for security
- Telescopic siderail for easy bed-exit
- Central brake system

Technical parameter	
Overall size	2000*850*480~780mm
Lying surface size	1820*720mm
Bed platform height	480~780mm
Trendelenburg	0-12°
Reverse Trendelenburg	0-12°
side rail height	500mm
Head and foot board height	630cm
Back section angle	0~75°
Foot section angle	0~40°



◆ YA-PM2-3

Main features

- Full-covered side rail with elevated height, 360° full-enclosed protection
- Sliding up/down rail with damp to avoid sudden drop
- ABS material head/foot board
- Cold rolled steel robust structure, electrostatic epoxy-coated
- 125mm diameter caster with dust proof cover, diagonal locking
- Fashion cartoon photos optional for the side rail
- Adjustable backrest, kneerest by two independent cranks

Accessories

- IV stand
- Urine bag hook

Technical parameter	
Overall Size	1880*900*650mm
Back section adjustable	0-75°±5°
Knee section adjustable	0-40°±5°
Bed Height	650mm
Side railing height	740-1190mm



◆ YA-PM3-4

Main features

- Full length side rail, vertically sliding up/down
- Stainless steel frame
- Central brake system with 125mm diameter castors
- Height adjustable through hydraulic operation via pedal located on both sides
- SS retractable crank

Accessories

- IV stand
- Urine bag hook

Technical parameter

Overall Size	1800*900*500-765mm
Back section adjustable	0° - 70° (+5°)
Knee section adiustable	0° - 35° (+5°)
Bed height	500-750mm
Loading capacity	100kg



◆ YA-PM2-1

Main features

- Full-covered side rail with elevated height, 360° full-enclosed protection
- Sliding up/down rail with damp to avoid sudden drop
- ABS material head/foot board
- Cold rolled steel robust structure, electrostatic epoxy-coated
- 125mm diameter dual sided caster, diagonal locking
- Fashion cartoon photos optional for head and footboard
- Adjustable backrest and kneerest by two independent cranks
- With storage shelf underneath

Technical parameter

Overall size	1880*900*660mm
Lying size	1750*730mm
Railing height	530mm
Back section adjustment	0-75°
Foot section adjustment	0-40°
Fixed height	660mm
Castor diameter	125mm
Loading capacity	100kg



Accessories

- IV stand
- Urine bag hook

◆ YA-PM3-2

Main features

- Powder Spray Head and footboard
- Two powder spray sliding up/down rail
- Four 100mm castors and two with brakes
- Adjustable backrest and trendelenburg and reverse trendelenburg by three independent cranks

Technical parameter

Overall size	1300*650*600mm
Bed platform height	600-800mm
Backrest adjustable	0° to 75°
Trendelenburg	0° to 12°
Reverse trendelenburg	0° to 12°
Loading capacity	120kg



Accessories

- IV stand
- Urine bag hook
- Mattress

◆ YA-PM1-1



Main features

- Full-covered side rail with elevated height,360°full-enclosed protection
- Sliding up/down rail
- Cold rolled steel robust structure,electrostatic epoxy-coated
- Adjustable backrest by one independent crank
- With rubber feet against floor clash

Technical parameter

Overall size	1650*800*500mm
Lying size	1550*730mm
Railing height	500mm
Back section adjustment	0-75°
Fixed height	500mm
Loading capacity	100kg



◆ YA-PM2-5



Main features

- Whole stainless steel frame for rust proof environment
- Full-covered side rail with elevated height, 360° full-enclosed protection
- Sliding up/down rail
- 125mm diameter caster, diagonal locking
- Adjustable backrest and kneerest by two independent cranks
- With shoe shelf underneath

Technical parameter

Overall size	1600*800*1300 mm
Back section adjustment	0-70°
Leg section adjustment	0-40°
Structure and platform	Stainless steel
Loading capacity	100kg



◆ YA-PM0-1

Main features

- Full-covered side rail with elevated height, 360° full-enclosed protection
- Sliding up/down rail
- Cold rolled steel robust structure, electrostatic epoxy-coated
- 125mm diameter caster with dust proof cover, diagonal locking
- Fashion cartoon photos optional for the head/foot board

Technical parameter

Overall size	1210*690*600mm
Castor diameter	125mm
Loading capacity	100kg



◆ MK-B01

Main features

- Frame made from abs material, durable and easy to clean
- Tilt angle 15°, easy for mother and baby to communicate and feed.
- Height adjustable by hydraulic system
- Handrail could be placed fat or at a 90° angle, can be used as a mosquito net support
- Four noiseless swivel casters, two with brakes
- Weight scale to measure baby weight
- Atmosphere temperature measuring
- Touch keyboard, more durable and sensitive than traditional mechanical buttons

Technical parameter

Overall size	895*475*840-960mm±10mm
Reversed Trendelenburg	0-10°±3°
Height adjustment	840-960mm±10mm
Basin size	820*425*240mm
Castor diameter	100mm
Weight scale range	0-25kg



◆ MK-B07

Main features

- Removable molded Plastic Crib (without joints).
- With Reverse Trendelenburg Position. (Inclination up to 15°)
- Framework made of stainless steel.
- 1 S.S. shelf at the bottom.
- 4 swivel castor (2 with brakes)
- With a 3cm mattress, easy to clean

Technical parameter

Overall size	820*500*860mm
Reverse trendelenburg	0~12°
Caster	Dia75mm
Loading capacity	20kg



◆ MK-B02

Main features

- Height adjustment by gas-spring
- Aluminium alloy column
- ABS side rails around
- Hyaline plastic basket to secure good visibility for abserver

Technical parameter

Overall size	890*520*824-1024mm
Trendelenburg	780-980mm
Reversed Trendelenburg	tre0-10°
Height adjustment	re0-10°
Castor diameter	100mm
Load capacity	0-20kg



◆ MK-B03

Main features

- High quality steel bed frame
- Double-side casters with brake , more durable and safety
- Basket under the bed frame
- Imported ABS material transparent sleeping basin
- Gas spring for the movement

Technical parameter	
Overall size	850*530*920mm
Reverse Trendelenburg	0-12°
Bed frame	High quality steel
Sleeping basin	Imported ABS
Castor diameter	100mm
Loading capacity	Sleeping basin:15kg, basket :5kg



◆ MK-B04

Main features

- Stainless steel structure
- Two stainless steel sliding up/down rail
- Four casters and two with brake

Technical parameter	
Overall size	800*500*610mm
Structure	Whole stainless steel
Castor diameter	75mm
Loading capacity	30kg



◆ MK-B11

Main features

- Powder-coated steel structure
- MS perforated lying surface
- Full-length of transparent guardrails around the bed
- Double-layer guardrail on the left and right sides, to ensure safety
- 10cm double side castors with the diagonal braking system
- With storage basket

Technical parameter	
Overall size(L*W*H)	1055*625*940mm
Reverse trendelenburg	0-12°±2°
Lying surface(L*W)	890*565mm
Castor	Dia100mm
Loading capacity	20kg



◆ MK-B05

Main features

- Stainless steel structure
- High density upholstered with waterproof cover and sponge baffles on 3 sides
- With 2 top drawers

Option

- Cabinet with 2 doors
- Laminated lower shelf

Technical parameter	
Overall size	1150*550*800mm
Structure	Stainless steel
Drawer	Two drawers
Loading capacity	25kg



◆ MK-B08

Main features

- Powder spray structure
- Scrubbable Leather Surface allows for easy cleaning and disinfecting
- With 2 top drawers
- With 1 lockable cabinet
- Ergonomic Design provides a comfortable and practical workspace
- Raised Rails ensures maximum safety

Technical parameter	
Material	Powder spray
Drawer	2 pcs
Cabinet	1 pc
Size	100*60*100cm
Load capacity	20kg



◆ YA-PS01C

Main features

- Full length X-ray translucent platform
- ABS dust covers protect hydraulic actuators
- Back and knee section can be adjusted by gas springs
- Foot section can be lifted individually by gears
- Collapsible side rails for transfers or patient access
- Storage area in base for belongings
- Two brake pedals, one at foot of stretcher and one at head
- 8 inch swivel casters with central braking system
- Retractable 5-inch wheel for easier maneuvering
- Dual, side-mounted foot control with pedal
- Includes foldable telescopic IV pole
- Built-in ergonomic push handles at head of stretcher
- Bumper castors on four corners
- The multifunctional side rails can be used to hang items
- Ideal for emergency rooms, recovery, pre-op, and post-op

Technical parameter

Overall size (L*W*H)	2170* 780*575-790 mm
Height adjustment	575~790 mm
Bed size (L*W)	1910* 630 mm
Back section adjustment	0 ~ 75°±3°
Foot section adjustment	0 ~ 40°±3°
Trendelenburg	-13°~ 13°±2°
Reverse trendelenburg	-13°~ 13°±2°
Castor	200mm
Safe working load	250kg

Accessories

- 8cm Mattress
- IV stand
- Pushing handle

Options

- Monitor shelf
- Sliding X-ray cassette holder



◆ YA-PS01

Main features

- Two-column structure, accessible for C-arm
- The ergonomic push-handle can be quickly raised with one click and can be hidden under the head of the bed when not in use
- Robust collapsible railing, easy to lock up
- The bed surface is made of non-metallic X-ray transparent material
- With fifth wheel steering function
- The central brake has 3 levels that can be adjusted
- Moulded base chassis with reservation for oxygen cylinder
- Foot operation pedal on available on both sides
- Bumper caster located on the four corners
- X-ray translucent platform (optional)
- Monitor shelf (optional)

Technical parameter


Overall size	2100*760*560-890mm
Back section adjustment	0-80°
Knee section adjustment	0-35°
Height adjustment	560-890mm
Trendelenburg	0-18°
Reverse trendelenburg	0-18°
Castor	Dia 200mm
Loading capacity	Dynamic load 318kg

Accessories

- 8cm Mattress
- IV stand
- Pushing handle

Options

- Monitor shelf
- Sliding X-ray cassette holder



◆ YA-PS03

Main features

- Side rails can be fixed at a horizontal position for drip and puncture loading capacity 10kg
- Using 70mm thick sponge mattress,fabric is waterproof and breathable
- Style of P-shaped from and U-shaped back
- With 5th retractable wheel in the middle for direction
- Double locks of side rails
- Using hydraulic cylinder, hand crank, gas spring and self-pull rod
- Using gas spring to stepless lift
- Silent casters with central lock

Accessories


- Mattress
- IV pole
- Pushing handle

Options

- Monitor shelf
- X-ray translucent platform

Technical parameter

Overall size	2150* 830*560-890 mm
Back section adjustment	560-890 mm
Knee section adjustment	0 ~80°
Height adjustment	0 ~ 40°
Trendelenburg	0-18°
Reverse trendelenburg	0-18°
Castor	200mm
Loading capacity	220KG



◆ YA-PS07

Main features

- Full length X-ray translucent platform
- Dust covers protect hydraulic actuators
- Back section can be elevated with gas springs
- Knee gatch can be elevated with stowable manual crank
- Collapsible side rails for transfers or patient access
- Side rails lock in upright position for safety
- Storage area in base for oxygen E-cylinder tanks and belongings
- 8 inch swivel casters with central braking system
- Retractable 5-inch wheel for easier maneuvering
- Dual, side-mounted foot control with pedal
- Built-in ergonomic push handles can be rotated down for storage
- Shock-absorbing, roller bumpers
- Ideal for emergency rooms, recovery, pre-op, and post-op

Accessories

- Mattress
- IV pole
- Pushing handle

Options

- Vertical oxygen tank holder
- Monitor shelf

Technical parameter

Overall size	2140*810*590-910mm
Back section adjustment	0-80°
Foot section adjustment	0-35°
Height adjustment	590-910mm
Trendelenburg	0-15°
Reverse trendelenburg	0-15°
Loading capacity	250kg



◆ YA-PS15

Main features

- Manual luxurious stretcher
- ABS tuck-away railing, collapsible
- ABS platform easy for cleaning
- Manual height adjustable
- With 5th retractable wheel in the middle for direction
- Backrest adjustable in a pneumatic way
- Central brake system with 150mm diameter wheel

Technical parameter

Overall size	1930*700*510-850mm
Back section adjustment	0-70°
Height adjustment	520-820mm
Caster diameter	150mm
Loading capacity	180kg



◆ YA-PS05

Main features

- Manual luxurious stretcher
- ABS tuck-away railing, collapsible
- ABS platform easy for cleaning
- Manual height adjustable
- With 5th retractable wheel in the middle for direction
- Backrest adjustable in a pneumatic way
- Central brake system with 150mm diameter wheel

Accessories

- Mattress
- IV pole

Technical parameter

Overall size	1930*640*540-840mm
Back section adjustment	0 ~70°
Height adjustment	540-840 mm
Caster diameter	150mm
Loading capacity	250KG



◆ YA-PS06

Main features

- Height adjustable in hydraulic way by pedals on both sides
- Collapsible aluminum alloy railing
- Central brake system
- Pushing bar located on both ends
- Back section adjustable in pneumatic way
- Bumper caster located on four corners of stretcher

Accessories

- Mattress
- IV pole

Technical parameter

Overall size	2110*690*460-810mm
Back section adjustment	0-65°
Height adjustment	460-810mm
Caster diameter	125mm
Loading capacity	180kg



◆ YA-PS08

Main features

- Whole stainless steel frame
- Height adjustable through manual crank
- Removable up stretcher
- Guard railing pull up and drop down
- 125mm diameter castor with diagonal locking

Technical parameter

Overall size	1900*630*600-800mm
Height adjustment	600-800mm
Castor diameter	125mm
Loading capacity	180kg



◆ YA-PS09

Main features

- Whole stainless steel frame
- Removable up stretcher
- Guard railing pull up and drop down
- 125mm diameter castor with dust proof cover, diagonal locking

Technical parameter

Overall size	1900* 600*750mm
Castor diameter	125mm
Loading capacity	180kg



◆ YA-PS10

Main features

- Economic stretcher
- Back section adjustable through simple stubborn mechanism
- Guard railing pull up and drop down
- 125mm diameter castor with diagonal locking
- With basketWith IV pole

Technical parameter

Overall size	1800* 550*800mm
Back section adjustment	0 ~75°
Thickness of mattress	60mm
Side rail length	1000mm
Castor diameter	125mm
Loading capacity	180kg



◆ YA-CS01

Main features

- Two divided individual stretcher
- Mobile up stretcher sliding on aluminum orbit
- Central brake system
- Fifth wheel for direction
- Connecting system easy to operate
- Two long ABS side rail

Technical parameter

Overall size	3650*690*690-940mm
Lying size	1920*570mm
Back section adjustment	0-60°±5°
Height adjustment	690-940mm
Castor diameter	150mm
Loading capacity	225kg

Accessories

- IV pole
- Drainage hook
- Mattress



◆ YA-CS02

Main features


- Stainless steel side rails
- Back section can be lifted up to 70° by gas spring control
- Mobile up stretcher sliding on stainless steel railway
- Two divided individual stretcher
- Central brake system with diameter 125mm casters
- Connecting system easy to operate

Technical parameter

Overall size	3650*640*640-970mm
Back section adjustment	0°-60°±5°
Height adjustment	640-970mm
Castor diameter	125mm
Loading capacity	180kg

Accessories

- IV pole
- Drainage hook
- Mattress



◆ YA-ET-D01

Main features

- Electrically height adjusting
- Electrically back adjusting
- Hand remote control
- Heavy duty frame with retractable caster for easy mobility and extreme stability switchable via foot pedal
- 2 section platform structure with comfortable cushioned mattress

Technical parameter

Overall size	1890*690*480-840mm
Height adjustable	480-840mm
Back section adjustable	0-60°
Caster	Dia 75mm
Loading capacity	150kg

Accessories

- Common color optional
- Face hole optional



◆ YA-DC01

Main features

- Electrically adjusting for back and knee section
- Electrically adjusting for height
- Hand remote control
- Ergonomic design with column structure with great comfort and safety
- Comfortable for facials and sturdy for massage
- High quality material with beauty appearance
- Upholstery is available in variety of colors

Technical parameter

Overall size	1805*800*600-830mm
Back adjust	0° - 70°
Leg adjust	0° - 90°
Loading capacity	220kg



◆ YA-ET-H02

Main features

- Hydraulically height adjusting
- Pneumatic back adjusting
- Heavy duty frame with retractable caster for easy mobility and extreme stability switchable via foot pedal
- 2 section platform structure with comfortable cushioned mattress

Technical parameter	
Overall size	1810*680*570-860mm
Height adjustable	570-860mm
Back section adjustable	0° - 50°
Loading capacity	200kg

Accessories

- Common color optional
- Face hole optional



◆ YA-ET-D05

Main features

- Features a 10-section top design
- Leg section could be separated two parts
- Stepless arm supports featuring quick adjustment with gas springs
- Heavy-duty steel frame to ensure long-term use
- Electric power height adjustment with foot control
- Seamless, rounded corner,upholstered top
- 2" ultra-firm padding
- Four casters allow the treatment table to be moved or stored
- Available in 9 upholstery options

Technical parameter	
Overall size	195 x 66 x (51-96)cm
Adjustable Height	51– 96cm by footbar system
Head section adjustable	-45° to+35°
Back section adjustable	0° to -45°
Seat section adjustable	0° to +20°
Lumbar rest adjustable	0° to +55°



◆ YA-EC-W02

Main features

- 3-section wood massage bed
- PVC leather, sponge of 4cm thickness
- High quality hardwood frame

Accessories

- Front-armrest
- Side-arm-supports
- Face hole plug
- Carry case
- Carry bag

Technical parameter

Overall size	1860*700*620-840mm
Height adjustable	620-840mm
Back section adjustable	0-60°
Loading capacity	220kg



◆ YA-EC-W03

Main features

- Buttery soft, yet eco-friendly upholstery
- Beautifully rounded corners are easy on therapists
- Provides exceptional strength and stability
- Shelf or cabinet base options offer optima configuration

Technical parameter

Overall size	1860*700*620-860mm
Height adjustable	620-860mm
Back section adjustable	0-60°
Loading capacity	150kg



◆ YA-EC-S04

Main features

- Stainless steel structure, anti-corrosion, easy to clean
- 3 sections, back and foot section can be adjusted
- Two drawers, large storage space
- Foam mattress with PU cover, flame retardant and easy to clean
- Rubber feet, non-slip and stable



Technical parameter

Overall size	1890*610*800mm
Back section adjustable	0-70°
Foot section adjustable	-90°-20°
Loading capacity	170kg

◆ YA-EC-M02

Main features

- Steel tube frame in epoxy-painted
- Adjustable back section
- Top is upholstered and covered with washable plastic and flame retardant material
- Knock down construction



Technical parameter

Overall size	1800*600*750mm
Back section adjustable	0-75°
Loading capacity	150kg

◆ YA-EC-S03

Main features

- Stainless steel structure, anti-corrosion, easy to clean
- Adjustable back section
- Foam mattress with PU cover, flame retardant and easy to clean
- Rubber feet, non-slip and stable



Technical parameter

Overall size	1800*600*750mm
Back section adjustable	0-75°
Loading capacity	150kg

◆ YA-EC-M01

Main features

- Steel tube frame in epoxy-painted
- Top is upholstered and covered with washable plastic and flame retardant material
- Knock down construction



Technical parameter

Overall size	1900*600*660mm
Mattress thickness	40mm
Loading capacity	150kg

◆ YA-EC-U01

Main features

- Electrical operation with hand remote control
- With auto-chaning sheet and automatic deviation
- correction functon for high hygiene and great convenience
- Heavy duty structure with electrostatic epoxy painting resistant to corrossion
- Eguipped with disposable paper roller, easy to operate the sheet replacement
- With battery backup
- Durable caster for easy mobility and firm static position

Technical parameter

Prodcut Size(L*W*H)	2010*720*620mm
Surface size	1820*645*60mm(±10mm)
Whole bed lowest&highest limit position	620±10mm
Static lift capacity	250KG
N.W.	83KG



◆ YA-EC-U02

Main features

- Electrical operation with hand remote control
- With auto-chaning sheet and automatic deviation correction functon for high hygiene and great convenience
- Heavy duty structure with electrostatic epoxy painting resistant to corrossion
- Eguipped with disposable paper roller, easy to operate the sheet replacement
- With battery backup
- Central brake caster for easy mobility and firm static position

Technical parameter

Overall size	2100*770*620-900mm
Height adjustable	620-900mm
Trendelenburg	0-12°
Reverse trendelenburg	0-12°
Load capacity	250kg




◆ YA-EC-U03

Main features

- Electrical operation with hand remote control
- With auto-chaning sheet and automatic deviation correction functon for high hygiene and great convenience
- With horizontal sliding movement for platform for doctor's easy diagnosis
- Heavy duty structure with electrostatic epoxy painting resistant to corrossion
- Eguipped with disposable paper roller, easy to operate the sheet replacement
- With battery backup
- Central brake caster for easy mobility and firm static position

Technical parameter

Overall size	2100*770*620-900mm
Back section adjustable	0-75°
Height adjustable	620-900mm
Sliding	300mm
Hip lift	100mm
Trendelenburg	0-12°
Reverse trendelenburg	0-12°
Load capacity	250kg



◆ YA-EC-B04

Main features

- Cartoon hippopotamus pediatric examination couch with adjustable backrest
- Epoxy coated steel strucutre with vinyl upholstered mattress
- With one drawer for storage of medical items
- With gas spring for back section adjustment to 70 degrees



Technical parameter

Overall size	1940*980*860mm
Back section adjustable	0-70°
Load capacity	175kg

◆ YA-EC-B03

Main features

- Blue car cartoon style,lovely and friendly, attract children's attention
- Disposable bed sheet, reduce the cross infection possibilities
- Wood structure, two sections, equipped with soft sponge mattress,PU cover, waterproof, easy cleaning, wear-resisting
- Without any latex, use environmental water-based paint, E0 greenplate green safety, round angle safety



Technical parameter

Overall size	1710*720*900mm
Mattress length	1330mm
Back section adjustment	0-45°
Color	Blue ,Black and White
Accessory	4 drawers and 2 cabinets
Loading capacity	180kg

◆ YA-EC-B05

Main features

- Animal party cartoon style, lovely and friendly, reduce children's fear
- Soft and comfortable upholstered PU leather top, water-resistant and oil-resistant
- Mattress color and foam size can be customized
- Special groove designed under the mattress which can hide the disposable bed sheet roll inside the bed
- Extension board can be pulled for taller children examination



Technical parameter

Overall size	1800*600*950mm
PU mattress size	1400*500*50mm
Height from floor to mattress	680mm
Accessory	4 drawers
Loading capacity	180kg

◆ YA-EC-B01

Main features

- Car cartoon style,lovely and friendly, attract children' sattention
- Wood structure
- Soft and comfortable upholstered PU leather top, water-resistant and oil-resistant
- Mattress color can be customized
- Without any latex,use environmental water-based paint, round angle safety



Technical parameter

Overall size	1800*600*950mm
PU mattress size	1350*500*50mm
Height from floor to mattress	680mm
Accessory	1 drawers
Loading capacity	150kg

◆ YA-DS-D01 Electric Dialysis Chair

Main features

- Electric dialysis bed structure: Three sections (back board, sitting board, leg board)
- Drive part: electric control mode(electric push rod) drive back lifting and leg lifting, electric control operation, adjust support position and foot rest position
- Mattress: made of super fiber material
- Aluminum alloy folding guardrail
- Electric dialysis bed material: frame is made of high quality steel, poly layer paint made of plate and shell;base is made of ABS engineering plastic



Technical parameter

Overall size	2040*760*580-820mm
Pillow size	400*230*80mm
Height Adjustment	580-820mm
Backrest adjustment	0°-75°
Footrest adjustment	0°-35°
Trendelenburg	0°-12°
Castor	125mm2
Loading capacity	40kg

◆ YA-DS-D02 Electric Dialysis Chair

Main features

- Ergonomic design gives blood donors a sense of security and comfort and alleviate the psychological pressure, makes the whole process easier and enjoyable.
- The appearance is made of high-strength fiber material and poly-layer paint
- Upholstery with 60mm thick foam
- Equipped with 2 motors for back and leg rest adjustment
- Chair frame is made of premium powder coated steel
- Armrests adjustable in height, depth and with pivoting articulation
- Four ø 100 mm casters with individual locking system are included to facilitate the movement of the donor chair.



Technical parameter

Overall size	1980*550*580mm
Back section adjustment	0-70°
Leg section adjustment	20°-90°
Armrest swing out	0-180°
Armrest height adjustment	100mm
Armrest size	480*160mm
Loading capacity	180kg

◆ YA-DS-D04 Electric Dialysis Chair

Main features

- Ergonomic design gives blood donors a sense of security and comfort and alleviate the psychological pressure, makes the whole process easier and enjoyable.
- The appearance is made of high-strength fiber material and poly-layer paint
- Upholstery with 60mm thick foam
- Chair frame is made of premium powder coated steel
- Four ø 100 mm casters with individual locking system are included to facilitate the movement of the donor chair.



Technical parameter

Overall size	1950*900*580mm
Seat size	520*600*580mm
Back section adjustment	-12°-75°
Leg section adjustment	-75°-12°
Height adjustment	580-780mm
Trendelenburg	0-12°
Loading capacity	240kg

◆ YA-DS-D10 Electric Dialysis Chair

Main features

- Ergonomic design gives blood donors a sense of security and comfort and alleviate the psychological pressure, makes the whole process easier and enjoyable
- The appearance is made of high-strength fiber material and poly-layer paint
- Upholstery with 60mm thick foam
- Equipped with 3 motors for height, back, leg rest and Trendelenburg adjustment
- Chair frame is made of premium powder coated steel
- Four ø 100 mm casters with individual locking system are included to facilitate the movement of the donor chair



Technical parameter

Overall size	1950*900*580-780mm
Seat section width	600+20mm
Back section adjustment	-12°~75°
Leg section adjustment	-75°~12°
Height adjustment	580-780mm
Trendelenburg position	0-12°
Armrest swing out	0-180°
Loading capacity	240 kg

◆ YA-DS-D06 Electric Dialysis Chair

Main features

- Padded push-handle for easy maneuverability
- Extra-wide padded armrests maximize comfort
- Durable epoxy coated welded steel frame is easy to clean and maintain
- Equipped with 3 motors for height, back, and leg rest adjustment
- Multi-position and inclination adjustments for the armrests.
- Four 4 inch castors with individual locking system
- Small dining table
- With CPR function



Technical parameter	
Overall size	1000*880*1300mm
Seat segment width	600mm
Back cushion	190*490*120mm
Back section adjustment	-10-75°
Leg section adjustment	-80°~12
Height adjustment	560-820mm
Trendelenburg position	0-12°
Castor	100mm
Loading capacity	200 kg
Over bed size(L*W)	1880*880mm

◆ YA-DS-D09 Electric Dialysis Chair

Main features

- Ideal for dialysis, oncology treatment or blood donation
- Keeps patients comfortable and may better accommodate patients who may faint during a procedure
- All-welded, steel, neutral gray powder-coated frame
- Heavy duty, all-welded, steel framePadded seat, backrest, armrests and footrest
- 2 motors for adjustment of back and foot part
- Hand controller for basic settings
- Electric CPR function
- Available in variety of Colours
- Four swivel casters facilitate transport and maneuver-ability in confined areas



Technical parameter	
Overall size	1000*880*1300mm
Back cushion	190*490*120mm
Seat segment width	600mm
Back section adjustment	-10-75°
Leg section adjustment	-80°-0°
Caster	100mm
Safe maximum load	200kg
Over bed size(L*W)	1880*880mm

◆ YA-DS-M01 Manual Dialysis Chair

Main features

- Metal structure with epoxy paint
- Foam seat, back and footrest, covered in curving
- Waterproof, anti-bacterial coating
- Backrest, armrest and footrest adjusted by mechanical device
- Vertical and lateral adjustment of the armrest
- Feet with plastic tips
- Anti-rust treatment,electrostatic powder coating



Technical parameter	
Overall size	1500*530*450mm
Back rest lifting	30-80°
Foot rest lifting	20-60°
Safe loading capacity	150kg

◆ YA-DS-M03 Manual Dialysis Chair

Main features

- Chair designed according to ergonomic human engineering
- With comfortable mattress, PU cover, waterproof
- Cushion: PU foam
- Upholstery: PVC leatherAdjustable by gas spring
- Four casters and two with brake
- Frame: Q235 steel



Technical parameter	
Overall size	1880*830*560mm
Back cushion	190*490*120mm
Seat segment width	600mm
Back section adjustment	-10°-80°
Leg section adjustment	-80°-10°
Seat section adjustment	0°-30°
Caster	100mm
Safe maximum load	200kg

◆ **YA-DS-M05** Manual Dialysis Chair

Main features

- Ergonomic design , makes the whole process easier and enjoyable
- Back and leg section adjustable by manual switch
- The appearance, which is made of high-strength fiber material and poly-layer paint, is artistic, modern,durable and easy to clean
- Powder coated steel chair frame
- High-quality medical polyurethane foam molding
- Anti-static and anti-fouling properties



Technical parameter

Overall size	1850*500*550 mm
Back section adjustable	0-90°
Leg section adjustable	0-70°
Armrest swing out	0-180°
Armrest height adjustable	100mm
Load capacity	200kg

◆ **YA-DS-M06** Manual Dialysis Chair

Main features

- Ergonomic design , makes the whole process easier and enjoyable
- Back and leg section adjustable by manual switch
- The appearance, which is made of high-strength fiber material and poly-layer paint, is durable and easy to clean
- High-quality medical polyurethane foam molding
- Anti-static and anti-fouling properties
- Mounted on four rubber feet



Technical parameter

Overall size	1700*560*500mm
Back section adjustable	0°-70°
Leg section adjustable	0°-60°
Armrest swing out	0°-180°
Armrest height adjustable	280mm
Load capacity	180kg

◆ **YA-DS-R02**

Main features

- Chair designed according to ergonomic human engineering
- With comfortable mattress, PU cover, waterproof
- Cushion: PU foamUpholstery: PVC leather
- Adjustable by gas spring
- Four casters and two with brake
- Frame: Q235 steel



Technical parameter

Seat segment width	600mm
Chair width, including armrests	830mm
Total length	1880mm
Total weight	85kg
Ground clearance	560mm
Caster diameter	100mm
Back cushion	190*490*120mm
Back segment angle	-10°-80°
Seat segment angle	0°-30°
Leg segment angle	-80-10°
Safe maximum load	200kg

◆ **YA-DS-R03**

Main features

- Ideal for long term care facilities, retirement homes and nursing homes
- Three positions: upright, deep recline, and elevated leg rest/footrest
- Retractable lock bar secures the chair in the desired position
- Padded push-handle for easy maneuverability
- Extra-wide padded armrests and side panels maximize comfort
- Blow-molded traylocks in 5 positions and can bestored on the side of the chair
- Durable epoxy coated welded steel frame is easy to clean and maintain
- Chair is easy for patients to move and reposition
- Four swivel casters with locking casters in rear
- The chair has a footrest



Technical parameter

Overall size(H*W*D)	1200*635*1040mm
Seat size(H*W*D)	530*482*482mm
Tray size	650*390mm
Floor to seat height	660mm
Width between arms	508mm
Loading capacity	113kg

Dialysis Chair

◆ MK-F05

Main features

- The puller on the right side of the chair can swing away arms
- A puller on the right side of chair to control the backrest and legrest simultaneously to 3 different positions
- Push handle to move the chair
- With a stainless steel I.V rope with 4 or 2 hooks



Technical parameter

Overall size	1280*850*880mm
Seat size	500*570*540mm
Bed size	1750*570mm
Backrest adjustable	0-75°
Footrest adjustable	-75-0°
Load capacity	150kg

medik Gynecological table



◆ MC-D01

Main features

- Designed for whole procedure of baby delivery, pre-on-after delivery
- Bed can be easily converted into a delivery table with simple operations
- Heavy duty railing with integrated control
- Foot section vertically adjusting for various delivery posture options
- Manual CPR accessible from both sides
- Flexible calf support can be positioned for different height patient, can be rotated underneath the bed when not in use
- Removable foot section
- Central brake system
- Battery backup



Accessories

- Waterproof cushion
- Waist grab handle
- Leg holder
- Filth basin
- Clamp
- I.V. pole
- Power cord

Technical parameter

Overall size	2320*990mm(±10mm)
Platform size	2000*860mm(±10mm)
Bed height	485-860mm(±10mm)
Back section turning up	≥63°electrically
Seat section turning up	≥15°electrically
Trendelenburg	8°
Leg section lifting up	170mm electrically
Footrest swing out	≥90° manually
Footrest folding up	≥90° manually
Guard rail up/down	370mm manually
Castor	150mm

◆ MC-D02

Main features

- Designed for whole procedure of baby delivery, pre-on-after delivery
- Bed can be easily converted into a delivery table with simple operations
- Heavy duty railing with hand ring for grabbing
- Removable foot section
- Central brake system
- Hand remote control
- Battery backup



Accessories

- Waterproof cushion
- Waist grab handle
- Leg holder
- Filth basin
- Clamp
- I.V. pole
- Power cord

Technical parameter

Overall size	2050*980*580-950mm
Table top width	880mm
Back section adjustment	0-70°
Height adjustment	580-950mm electrically
Trendelenburg	8°electrically
Castor diameter	125mm
Length of chair position	145cm
Loading capacity	230Kg

◆ MC-D07

Main features

- Designed for whole procedure of baby delivery, pre-on-after delivery
- Bed can be easily converted into a delivery table with simple operations
- Hand remote control
- Removable foot section
- Central brake system
- Battery backup



Accessories

- Waterproof cushion
- Waist grab handle
- Leg holder
- Filth basin
- Clamp
- I.V. pole
- Power cord

Technical parameter

Overall size	1950*950*650-960mm
Backrest adjustable	0-70°
Height adjustable	650-960mm
Reverse trendelenburg	0-12°
Trendelenburg	0-12°
Loading capacity	230kg

◆ MC-D06

Main features

- Designed for whole procedure of baby delivery, pre-on-after delivery
- Bed can be easily converted into a delivery table with simple operations
- Embedded railing control
- Removable foot section
- Central brake system
- Night light
- Battery backup



Accessories

- Waterproof cushion
- Waist grab handle
- Leg holder
- Filth basin
- Clamp
- I.V. pole
- Power cord

Technical parameter

Overall size	1950*950*650-900mm
Back section adjustment	0-65°(±2°)
Foot section adjustment	0-40°
Height adjustment	650-900mm
Trendelenburg	0-10°(±2°)
Revere- Trendelenburg	0-10°(±2°)
Safe working load	230kg

◆ MC-D17

Main features

- Humanized design, seat heating function
- High-strength plastic cover, waterproof and antibacterial cushion, easy to clean and disinfect
- Electrically adjustable height and back sectionLeg section
- adjusted by gas spring
- The armrest automatically maintains a horizontal position,removable
- Remote control with lock button to prevent accidental touch
- The leg support can be adjusted at multiple angles to achieve the best production and inspection position
- 4 wheels for easy movement
- Removable full stainless steel filth basin

Technical parameter

Overall size	1730*860*640-910mm
Back section adjustment	0-80°(±2°)
Leg section adjustment	0-80°(±2°)

Accessories

- Headrest
- Armrest
- Leg support



◆ MC-D04

Main features

- Electrically adjusting functions with foot pedal for hand free operation
- Stainless steel structure anti corrosion
- Modular comfortable mattress
- Swing out foot section



Accessories

- Waist grab handle
- Leg holder
- Filth basin
- Armrest
- Foot switch
- Anaesthesia frame

Technical parameter

Bed size	1840*600*750-1000mm
Auxiliary table size	550*600mm
HI-LOW	750-1000mm
Back section adjustable	0-60°
Seat section adjustable(option)	0-16°
Trendelenburg	0-12°
Reverse-Trendelenburg	0-12°
The auxiliary table swing-out	0-90°
Loading capacity	200kg

◆ MC-H04

Main features

- The base seat and upright column covering are made of highquality 304 stainless steel, which is anti-corrosive and can be easily cleaned
- The main bed and auxiliary bed are connected with each other, auxiliary bed is easy to dismantle or swing out.
- Foot step hydraulic elevating, Imported Y type sealing ring and is durable
- Equipped with stainless steel sewage basin and other various accessories
- The mattress adopts high density memory sponge and is once formed, with no seam
- Rotary brake device which is easy for moving obstetric table



Accessories

- Amn resting frame
- Leg support frame
- Stainless steel sewagebasin
- Amrest
- Waist grab handle
- Foot rest
- Anaesthesia frame

Technical parameter

Overall size	1900*600*630-875mm
Back section up/down	±60°/-10°
Leg section outwards	90°
Height adjustment	630-875mm
Trendelenburg	0-15°
Reverse Trendelenburg	0-26°
Loading capacity	250kg

◆ MC-H03

Main features

- Adjustable leg rests for ergonomic positioning with locking of the damp into different positions
- Bed ends removable instantly via quick release mechanism
- Wide mattress base
- More comfortable anatomical leg rest
- Side handles for enhanced pushing forceSide rails can fold down
- Easy to get in and out thanks to low minimum height
- Can also be used for transportation inside the hospital
- Easy-to-clean structure
- Designed to ensure the best possible use without the need of electricity power supply
- All adjustments in this model are manual

Accessories

- Waterproof cushion
- Waist grab handle
- Leg holder
- Filth basin
- ClampLV. pole
- Head&Foot boardSide rails
- Hydraulic pump

Technical parameter

Overall size	2140*1000*600-900mm
Filth basin size	5-6L
Back section turning up	≥70°
Leg section telescope	500mm
Height adjustment	600-900mm
Trendelenburg	0-12°
Reverse trendelenburg	0-12°
Castor diameter	125mm
Loading capacity	250kg



◆ MC-C13

Main features

- Powder coated steel structure
- Waterproof cushioned with foam mattressLeg section can slide under the seat section
- Adjustments of the backrest by ratchet.
- Variable height adjustable by a hydraulic pump
- Mounted on four rubber feet (Mobile base can be available)



Accessories

- Waist grab handle
- Leg holder
- Filth basin
- ClampLV. pole
- Side rails (Option)
- Hydraulic pump

Technical parameter

Overall size	1800*800*600-900mm
Height adjustment	600-900mm
Back section up	0-70°
Loading capacity	250kg

◆ MC-C14

Main features

- Three-section stop.
- Backrest is adjustable by gas spring.
- The leg section can be telescoped under the backrest for lithotomy positions.
- Removable Stainless steel head & foot boards with laminated panels.
- Foot support for high/low chair positions
- Complete with SS side railings, basin and telescopic IV pole
- Height is adjustable by crank.
- Four casters with diameter of 125mm, 2pcs with brakes



Accessories

- Waist grab handle
- Leg holder
- Filth basin
- ClampLV. pole
- Side rails

Technical parameter

Overall size	2000*750*500-750mm
Height adjustment	500-750mm
Back section adjustment	0-70°
Loading capacity	220kg
Leg section adjustment	Pack up

◆ MC-D08

Main features

- Steel structure with epoxy coating
- Seamless mattress easy to clean and disinfection
- Back, seat and height adjustable by foot switch
- Mounted on four swivel castors with lockers on two castors
- Elevation of chair in large range meets the demands of different medical staff and patients



Accessories

- Leg holder
- Filth basin
- Waist grab handle
- ClampHand
- control
- Power cord

Technical parameter

Chair size	1450*600*600-1000mm
Filth basin size	5L
HILOW	600~1000mm
Back section fold up	≥70°
Back section fold down	≥17°
Seat section fold up angle	≥18°
Loading capacity	≥180kg

◆ MC-D19

Main features

- The electric table for gynecology examinations and treatments
- The leg segment (auxiliary table) can slide under the seat section
- The elevation of table is controlled via foot switch



Accessories

- Foot rest
- Filth basin
- Paper roll holder
- Exam light (Option)

Technical parameter

Overall size	1400*720*460-850mm
Height adjustment	460-850mm
Back-rest lifting angle	70° (±2°)
Seat adjust	0-7°
Size of drawer on the side	420*300*90mm
Retractable foot pedal	1 pair
Safe working load	200kg
Packing size	1490*810*720mm
Gross weight	230kg
Net weight	200kg

◆ MC-C01

Main features

- The ob gyn exam table is suitable for all kinds of inspection including gynecological examination, the shape is beautiful, the function is practical, the operation is simple
- The back section is operated by gas spring
- The roll paper holder is hidden behind the back panel
- Foot stool can be used for patient as a step, which is hidden
- Examination bed is equipped with large drawers
- Mattress made from mould, with no seam on the surface



Accessories

- Foot rest
- Filth basin
- Paper roll holder
- Side drawer (Mobile)
- Front drawer
- Integrated foot stepstool

Technical parameter

Overall size	1820*880mm
Back section adjustment	0-70°
Seat lifts up	≥7°
Foot step stool size	460*500mm
Step size	420*230mm
Loading capacity	200kg

◆ MC-C02

Main features

- Ultra-comfort mattress top
- Cold-rolled steel base, powder coated
- Easy-adjust backrest by ratchet system Upholstered stirrups can swing and adjust in height, with easy-lock system to the side
- Slide out leg section upholstered with foam mattress can be upright Pull out stainless steel filth basin (5-6L)
- Paper roll holder on the back side of gynecology table
- Pillow integrated onto the head section
- Side step (Single foot step) integrated on the side of obstetric table
- Power outlet with cover for protection fixed to the side of obstetric table
- 2 Front drawers and 3 side drawers on full extension roller bearing glides



Accessories

- Leg support
- Filth basin
- Paper roll holder
- Pillow
- Side drawer
- Front drawer
- Integrated foot stepstool

Technical parameter

Overall size	1870*600*680mm
Stirrups	Adjustable by 340°
Net weight	105kg
Shipping weight	136kg
Shipping size	1580*850*1100mm
Loading capacity	200kg

◆ MC-C03

Main features

- High grade stainless steel structure,durable and easy toclean
- Has trendelenburg /reverse trendelenburg position
- Waterproof and flame retardant cushions
- Leg section adjusted by gas springLeg support can be adjusted at multiple angles to achievethe best production and inspection position
- Mounted on four units of anti-slip rubber feet
- Removable full stainless steel filth basin



Accessories

- Waist grab handles
- Shoulder support
- Leg support

Technical parameter

Overall size	1850*600*780mm
Back section adjustment	0~60°±5°
Trendelenburg	0~12°±2°
Reverse-Trendelenburg	0~12°±2°

◆ MC-C04

Main features

- Stainless steel frame
- Used for delivery and various gynecological surgeries
- The leg section can be removed in case of therequirement of sugeries such as gynecology, urologcialopeartions and so on



Accessories

- Anesthesia screen
- Armrests
- Waist grab handles
- Shoulder support boards
- Leg holders
- Footboards

Technical parameter

Overall size	1900*600*750mm
Back section adjustment	-15°-50°
Seat section adjustment	-8°-30°
Leg section adjustment	-30°- 30°
Loading capacity	170kg

◆ MC-C05

Main features

- Epoxy coated steel or Stainless steel structure
- Three sections with independent controls
- Trendelenburg positions
- Top is upholstered with washable plastic material flame retardant
- Retractable leg rest
- Knock down construction



Accessories

- Knee crutches
- Waist grab handles
- Padded shoulder rest

Technical parameter

Overall size	1800*750*550mm
Back section adjustment	0-70°
Loading capacity	170kg

◆ MC-C06

Main features

- Whole stainless steel frame
- Cushioned with foam mattress
- Leather covered, waterproof
- Mounted on four rubber feet
- Back rest adjustable by pole in various degree
- Knee section adjustable by pole in various degree



Accessories

- Knee crutches
- Waist grab handles
- Filth basin

Technical parameter

Overall size	1900*610*750mm
Back section adjustment	0-75°
Leg section adjustment	0-90°
Loading capacity	170kg



medik Bedside Cabinet

Bedside Cabinet

◆ YA-B01

Main features

- Cabinet is made of HDF
- Aluminum columns supporting frame connections
- Telescopic drawer rails
- HPL foldable dining table
- Shock absorber controlled height adjustable dining table
- Tilt movement for the reading position on the dining table
- Electrostatic powder-painted metal parts
- Risers made of aluminum material on the edges of the dining table

Technical parameters

- Bedside cabinet size: 450*460*860mm
- Side board size: 590*380*760-1070mm



◆ YA-B02

Main features

- Size: 510×510×710mm
- Epoxy coated steel structure
- 1 drawer, 1 cabinet(2 doors) and 1 sliding tray
- Dia.50mm



◆ YA-B07

Main features

- Size:L475*W475*H750mm
- Whole ABS forming
- 1 drawer, 1 cabinet and 1 sliding tray



◆ YA-B05

Main features

- Size: 475*475*775mm
- Whole ABS forming
- 3 drawers



◆ MK-B13

Main features

- Size:L440*W390*H650mm
- Metal frame
- 1 drawer and 1 cabinet



◆ YA-B06

Main features

- Size:L480*W480*H760mm
- Whole ABS forming
- 1 drawer, 1 cabinet and 1 sliding tray
- Four castors



◆ YA-B08

Main features

- Overall size:520*600*750mm
- 1 drawer,1 lay board and 1 cabinet



◆ YA-B04

Main features

- Size:L500*D550*H790mm
- Epoxy coated steel structure
- 1 drawer, 1 cabinet(2 doors) and 1 sliding tray
- Dia50mm



◆ YA-B14

Main features

- Overall Size: 480*400*715mm
- 1 drawer and 1 cabinet for the storage



◆ YA-B15

Main features

- Bedside cabinet
- Size: 500*500*800 mm
- Powder coating metal frame and stainless steel top board.
- 1 drawer and 1 cabinet
- Castor dia 50mm



◆ YA-T01

Main features

- The table surface is made of phenolic compact laminate (HPL) material.
- The column adopts the aluminum profile with electrostatic spraying, give oxidation treatment after maturational aging.
- Air control height adjustment lifting devices.
- The table height can be adjusted easily, no complicated switch.
- 360° rotation angle, any angle can be fixed for reading
- size:L885*W470*H745-1000mm



◆ YA-T02

Main features

- Size:L900*W450*H850-1100mm
- ABS top , base made of steel with powder coating surface
- Gas spring operated height adjustable



◆ YA-T07

Main features

- Overall Size: L900*W400*H750-1140mm
- Gas spring operated height adjustable



◆ YA-T06

Main features

- Size: L800*W400*H725-965mm
- HPL table top
- gas control height adjustment



◆ YA-T04/T05

Main features

- Size: 710*380*700-1140mm / 770*370*715-1110mm



◆ MK-P01

Main features

- Size: 610x790x900mm
- Disposable locking system
- Cardiac Board(Acrylic)
- Defibrillator Shelf w/Multi position
- IV Pole(Adjustable Height)
- Oxygen Tank Holder
- Extended Work Surface
- Waste Bin
- Suction machine holder
- 4 x 125mm Caster with Lock
- 5 x Drawer with Full Extension Telescopic slide
- 3 x h75mm Drawer
- 1 x h150mm Drawer
- 1 x h250mm Drawer



◆ MK-PK02

Main features

- Size: 610*790*1100mm
- Disposable locking system
- Cardiac Board(Acrylic)
- Defibrillator Shelf w/Multi position
- IV Pole(Adjustable Height)
- Oxygen Tank Holder
- Extended Work Surface
- Waste Bin
- Suction machine holder
- 4 x 125mm Caster with Lock
- Drawer with Full Extension Telescopic slide
- 8 x h75mm Drawer
- 1 x h125mm Drawer



Divider

- 75mm Height 10 piece
- 150mm Height 4 piece
- Sub Divider 3' Short 24 piece
- Sub Divider 7' Short 12 piece
- Sub Divider 7' Tall 8 piece

◆ MK-P16

Main features

- Size:610x790x900mm
- Disposable locking system
- Extended Work Surface
- Waste Bin
- 4x125mm Caster with Lock
- 5xDrawer with Full Extension Telescopic slide
- 3 xh75mm Drawer
- 1xh150mm Drawer
- 1xh250mm Drawer



Divider

- 75mm Height 10 piece
- 150mm Height 4 piece
- Sub Divider 3' Short 24 piece
- Sub Divider 7' Short 12 piece
- Sub Divider 7' Tall 8 piece

◆ MK-P07

Main features

- Size:610x790x900mm
- Disposable locking system
- Extended Work Surface
- Waste Bin
- Two Level/1Cassette with tilting 10 Bins
- 4x125mm Caster with Lock
- 5 x Drawer with Full Extension Telescopic slide
- 3 xh75mm Drawer
- 1xh150mm Drawer
- 1xh250mm Drawer



Divider

- 75mm Height 10 piece
- 150mm Height 4 piece
- Sub Divider 3' Short 24 piece
- Sub Divider 7' Short 12 piece
- Sub Divider 7' Tall 8 piece

◆ MK-P26A

Main features

- Size: 740x650x1150mm
- Extensive side shelf
- Bag with 100 RED security seals with serial number 1*3 "drawer at the bottom: Inner with 4 long divisions of 450 * 75mm and 20 short divisions of 75 * 75mm and 5 short divisions of 178 * 75mm
- 24*5 "bins: Inner with 1 long division of 290x55mm and 6 divisions of 130 * 60mm, and each bin can be pulled out separately



◆ MK-P26

Main features

- Size: :950*610*1100mm

Accessories

- Extensive side table
- Waste container
- Central locker with disposable seal
- Left side:
 - 3*3" Narrow drawers(250*440mm) on the top,
 - 2*6" Narrow drawers(250*440mm) in the middle,
 - 1*9" Narrow drawer(250*440mm) at the bottom, each drawer with dividers inside.
- Right side:
 - 2*3 "drawers(410*440mm) on the top: Inner with 4 long divisions of 450 * 75mm and 20 short divisions of 75 * 75mm and 5 short divisions of 178 * 75mm,
 - 12*5" bins cassette in 4 levels: 2 divisions of 130 * 60mm in each bin cassette,
 - 6*7" bins cassette in 4 levels:2 divisions of 130 * 60mm in each bin cassette.



◆ MK-P26B

Main features

- Size: 640x600x900mm

Accessories

- Extensive side table
- Waste container
- Central locker with disposable seal
- 2*3" drawers: inner with 4 long divisions of 450 * 75mm and 20 short divisions of 75 * 75mm and 5 short divisions of 178 * 75mm
- 9*5" bins cassette in 3 levels: 2 divisions of 130 * 60mm, im each bin cassette
- 1*9" drawer: inner with 2 long divisions of 450x150mm and 6 divisions of 178 * 150mm



◆ MK-P26C

Main features

- Size: :950*610*1000mm

Accessories

- Extensive side table
- Waste container
- Central locker with disposable seal
- Left side:
 - 3*3" drawers: inner with 4 long divisions of 450 * 75mm and 20 short divisions of 75 * 75mm and 5 short divisions of 178 * 75mm,
 - 9*5" bins cassette in 3 levels: 2 divisions of 130 * 60mm, im each bin cassette,
 - 1*6" drawer: inner with 2 long divisions of 450x150mm and 6 divisions of 178 * 150mm,
 - 1*9" drawer: inner with 2 long divisions of 450x150mm and 6 divisions of 178 * 150mm.
- Right side:
 - 3*3" Narrow drawers(250*440mm) on the top
 - 1*6" Narrow drawers(250*440mm) in the middle
 - 1*9" Narrow drawer(250*440mm) at the bottom, each drawer with dividers inside.



◆ MK-P02

Emergency trolley

Size: 750*475*950mm



◆ MK-P04

Emergency trolley

Size: 625*475*920mm



◆ MK-P03

Emergency trolley

Size: 720*470*920mm



◆ MK-P05

Emergency trolley

Size: 750*475*930mm



◆ MK-P10

Medication trolley

Size: 625*520*950mm



◆ MK-P11

Medication trolley

Size: 850*520*1030mm



◆ MK-P08

Anesthesia trolley

Size: 780*480*1000mm



◆ MK-P09

Anesthesia trolley

Size: 750*475*950mm



◆ MK-C08

Main features

- Made of aluminum alloy frame and cold steel sprayed with plastic.
- Front equipped with four layers of drawers and has center lock system, three middle and one big, all have dividers inside the drawers.
- Top can be opened and there's a storage space inner with dividers, which can be used to store large items.
- One push handle and two detachable storage boxes on the right of the cart, two waste bins with different colors and one sharp box on the left of the cart.
- Four 100mm diameter luxury castors and two of them with brake.



Technical parameter

- Overall size: 660*480*960MM
- Structure: aluminum alloy frame and cold steel sprayed with plastic
- Castor: Dia 100mm

◆ MK-C09

Main features

- Made of aluminum alloy frame, steel with powder coating surface
- Front equipped with seven drawers and has central lock system
- Surrounded by stainless steel rails to prevent products from falling from the table top
- Four 100mm silent casters, two of them with the brake, with anti-collision corner guards on all sides.
- The cabinet on the side with the lock key to store the respiratory endotracheal tube, laryngoscope and other consumables, etc.



Technical parameter

- Overall size: 720*520*1120mm
- Structure: aluminum alloy frame and stainless steel plate
- Castor: Dia 100mm

◆ MK-C10

Main features

- Made of aluminum alloy frame and cold steel sprayed
- Front equipped with six drawers and has central lock
- Surrounded by stainless steel rails to prevent products from falling from the table top
- Four 100mm silent casters with diagonal brakes, with anti-collision corner guards on all sides.



Technical parameter

- Overall size: 650*480*930mm
- Structure: aluminum alloy frame and cold steel sprayed
- Castor: Dia 100mm

◆ MK-C07

Main features

- Trolley designed to manage patient in emergency
- Stainless steel top rail / push handle
- With I.V. transfusion hook at the top
- With defibrillator shelf, cpr board, external power holder and plug board, oxygen tank holder, waste bin, sliding writing shelf, wire basket
- Four 100mm castors and two with brakes
- With 3 drawers and cupboard for storage
- Seal Lock or Centre Lock and Soft closing Drawer



Technical parameter

- Overall size :680x480x1000mm
- Structure: Sturdy, uni-body steel construction
- Castor: Dia100mm

◆ MK-C01 Emergency trolley

Size:660*480*1100mm



◆ MK-P14 Medical record trolley

Size: 450*410*950mm



◆ MK-C06 Anesthesia trolley

Size: 650*480*1100mm



◆ MK-P15 Medical record trolley

Size: 750*410*980mm



◆ MK-P13 Isolation cart

Size: 650*480*930mm



◆ MK-PC01

Main features

- Overall size 480*520*938~1138 mm
- Working surface 480*520mm
- Height adjustable 938-1138mm
- Caster Φ100mm



◆ MK-PC03

Main features

- Height adjustable supporting column can be adaptable for medical staff in different heights
- Large working top table with integrated handle to move the cart easily
- Telescopic keypad and mouse tray
- Drawers and baskets for storage
- Mobile 4" (φ100mm) casters



Specification

- Overall size 480*520*938-1138mm
- Working surface 480*520mm
- Height adjustable 938-1138mm
- Caster size 100mm

◆ MK-PC09

Main features

- Pull-out keyboard tray: space-saving, beautiful and convenient
- Height adjustable supporting column can hold up to 10kgs
- Hold the handle to move the cart quickly and easily
- Adjustable CPU holder
- 3 inch silent rubber wheel
- Molding base: One complete module with better durability



Technical parameter

Overall size	600x500x1000-1700mm
The camera tray size	205x125mm
The 1st telescopic keypad table size	600x400/550mm
The 2nd height adjustable tray size	600x420mm
Capacity of supporting column	10kgs
Adaptable hole spacing for monitors(VESA)	75x75mm / 100x100mm
Material	Aluminum + ABS
Net weight	27kgs
Gross weight	30kgs

◆ MK-PC10

Main features

- Normally applied to dental and oral clinic
- Adaptable monitor size: 15"-32"
- Support holder for oral scanner
- Ergonomic handle to move the cart easily
- Adjustable CPU holder
- Power outlet integrated onto the supporting column
- Molding base: One complete module with better durability



Technical parameter

Overall size	L600*W560*H1050-1200mm
Working tray size	L600*W420mm
Capacity of monitor supporting arm	10kgs
Material	Aluminum + ABS
Caster	3" (φ75mm)

◆ MK-PC11

Main features

- Epoxy coated steel structure
- Table top with cupboard for storage integrated
- Lateral hooks for identification cards etc.
- Small tray for holding small articles
- Gas spring system for height adjustment via foot pedal
- Mounted on 4*3"(ø75mm) casters



Technical parameter

Table size	603 *459mm
Base size	593.5*461.9mm
Tray Length	287mm
Material	SPCC
Height adjustment	790-1200mm
Function	Support for both laptop&tablet

◆ MK-PC12

Technical parameter

Support	For both Laptop and tablet
Self elevation force	8kgs/17.6lbs
Self holding force	>30kgs/66lbs
Material	SPCC
Adjustable height	800mm-1200mm via gas spring system activating by foot pedal
Adaptable hole spacing for monitors(VESA):	60x60mm/75x75mm



Technical parameter

	MK-PC12A	MK-PC12B	MK-PC12C
Loading capacity	Self elevation force: 8kgs/17.6lbs Self holding force: >30kgs/66lbs	Self elevation force: 8kgs/17.6lbs Self holding force: >30kgs/66lbs	-
Height adjustment	400mm	400mm	400mm
Tilt	-	-45°~75°	-45°~75°
Support landscape and portrait adjustable	-	✓	✓

◆ MK-S01

Stacking instrument trolley

Size: 1100*600*850mm
900*550*800mm
700*450*750mm



◆ MK-S02

Fan instrument trolley

Size: 1300*460*900mm



◆ MK-S03

Dressing trolley

Size: 700*450*800/880mm



◆ MK-S04

Three layer apparatus trolley

Size: 900*550*800/940mm



◆ MK-S05

Two layer apparatus trolley

Size: 1100*600*800/940mm



◆ MK-S06

Instrument trolley

Size: 1000*600*900mm



◆ MK-S07

Treatment trolley

Size: 700*450*800/880mm



◆ MK-S10

Instrument trolley

Size: 490x490x900mm



◆ MK-S08

Treatment trolley

Size: 700*450*800/880mm



◆ MK-S11

Patient record trolley

Size: 805*410*1010mm



◆ MK-S09

Flushing trolley

Size: 1020*600*750mm
Funnel: φ480*480mm



◆ MK-S12

Patient record trolley

Size: 405*410*1010mm



◆ MK-S13

Linen trolley

Size: 1000*500*820/980mm



◆ MK-S16

Linen trolley

Size: φ550*840mm



◆ MK-S14

Dirty linen trolley

Size: 940*420*900mm



◆ MK-S17

Linen trolley with pedal

Size: 588*428*890mm



◆ MK-S15

Linen trolley

Size: 800*500*900mm



◆ MK-S18

Linen trolley with pedal

Size: 800*590*890mm



◆ MK-S19

Mayo table shallow

Size: 600*400*800-1200mm



◆ MK-S21

Mayo table

Size: 600*400*820-1300mm



◆ MK-S20

Mayo table

Size: 600*400*900-1240mm



◆ MK-S22

Mayo table

Size: 600*400*800-1150mm



◆ MK-S23

Hydraulic mayo table

Size: 600*400*770-1170mm



◆ MK-S24

Anesthesia trolley

Size: 650*430*760/800mm



◆ MK-S27

Resuscitation trolley

Size: 750*490*900mm



◆ MK-S25

Medicine trolley

Size: 595*450*900mm



◆ MK-S28

Food thermal trolley

Size: 1050*550*940mm



◆ MK-S26

Plaster trolley

Size: 900*500*900mm



◆ MK-S29

Plaster trolley

Size: 1100*450(700)*900mm



◆ MK-S30

Kick bucket

Size: φ400*360mm



◆ MK-S33

Washing stand double bowl

Size:φ360*2*760-1260mm



◆ MK-S31

Foot step

Size: 610*400*400mm



◆ MK-S34

Washing stand single bowl

Size:φ360*760-1260mm



◆ MK-S32

Stackable foot step

Size:410*250*195mm



◆ MK-S35

Oxygen cylinder trolley

Size: 460*430*1230mm



◆ MK-S36

Material transport cart

Size:1000*600*220/360/840mm



◆ MK-S39

Paper dispensing rack

Size: 1100*420 *1050mm



◆ MK-S37

Transport cart

Size:700*480*900mm



◆ MK-S40

Mobile lead apron rack

Size:950*600*1200mm



◆ MK-S38

ICU flow chart table

Size:870*670*930-1260mm



◆ MK-S41

6 Bedpan & 6 Bottle rack

Size: 800x 260 x 560mm



◆ MK-A04

Accompany chair

- Folding Size: 800*710*430mm
- Unfolding Size: 2040*710*430mm
- Backrest height: 980 mm



◆ MK-A03

Accompany chair

- Folding Size 660*680*410mm
- Unfolding Size 1860*680*400mm



◆ MK-A06

Accompany chair

- Folding Size: 600*600*420mm
- Unfolding Size: 1850*600*420mm



◆ MK-A09

Accompany chair

- Folding size:800* 800*420 mm
- Unfolding size:1860*800*420 mm



◆ MK-A08

Accompany chair

- Folding Size: 820*860*420mm
- Unfolding Size: 1980*860*420mm



◆ MK-F01

Infusion chair

- Folding size: 700*770*1080mm
- Unfolding size: 700*1300mm



◆ MK-F02

Infusion chair

- Folding size: 730*840*1050mm
- Unfolding size: 730*1300mm



◆ MK-F06

Accompany chair

- Folding Size: 950*730*460mm
- Unfolding Size: 1520*730*460mm



◆ YA-S01

Doctor stool

- Seat size: ϕ 35*45-61cm



◆ YA-S02

Doctor stool

- Seat size: ϕ 390*460-600mm



◆ YA-S03

Saddle stool

- Seat size: 350*370*460-600mm



◆ YA-S04

Saddle stool

- Seat size: 350*420*460-600mm



◆ YA-S08

Doctor stool

- Seat size: 400*550*650mm



◆ YA-S06

Doctor stool

- Seat size: 370*400*400-540mm
- Back section adjustable: 60°-90°



◆ YA-S07

Doctor stool

- Seat size: ϕ 360*460-600mm



◆ YA-S09

Stainless Steel Stool

- Seat size: ϕ 290mm*480-650mm



◆ YA-W01

Waiting chair

- Size: L1760*W540*H870mm



◆ YA-W02

Waiting chair

- Size: L1710*W670*H860mm



◆ YA-W03

Waiting chair

- Size: L1750*W680*H780mm



◆ YA-W04

Waiting chair

- Size L2400*W672*H825mm



◆ YA-W06

Waiting chair

- Size: L1900*W750*H780mm



◆ YA-W07

Waiting chair

- Size: L1900*W750*H780mm



medik Mattress



Mattress

medik

◆ MK-M01

Foam mattress

- Size:190*90*10cm (can customization)
- Core:Standard foam 30kg/m³
- Cover: PU with zipper.



◆ MK-M02

Foam mattress

- 4 sections of different size cutting
- Size:190*90*10cm (can customization)
- Core: Standard foam 30kg/m³
- Cover: Waterproof oxford fabric with hole and zipper.



◆ MK-M10

Main features


- Size:190*90*10cm (can customization)
- Core:Standard foam 30kg/m³
- Cover: Waterproof oxford fabric with hole and zipper.



◆ MK-M11

Main features

- Wavy foam topper vastly improves patient comfort
- Size:190*90*10cm (can customization)
- cutting: Wave shape thickness 3.5cm
- Core: Standard foam 38kg/m³
- Cover: Waterproof PU fabric



◆ MK-M12

Main features

- Size: 203*91*15cm (Other sizes can be customerized)
- Divided into 5 sections with different cuttings to acheive the better effect of anti-bedsore
- Square cuting size: 1*1*3.5cm
- Core: High density polyurethane foam
- Cover: PU fabric, with "L" or "U" shaped zipper or zipper at the end



◆ MK-M13

Main features


- Size: 203*91*15cm (Other sizes can be customerized)
- Core: Divided into 3 sections
- Top layer: Visco-elastic memory foam
- Middle layer: High density foam with cuttings to release the patient's weight
- Bottom layer: High density plain foam
- Top cover: Medical standard PU
- Bottom cover: Anti-slip vinyl with bands on 4 corners to fix the mattress onto the bed
- Anti-bedsore for medical use



◆ MK-M03

Foam mattress

- Size: 203*91*15cm (Other sizes can be customerized)
- Core: High density polyurethane foam divided into 2 sections
- Top layer: Wave shaped cutting
- Bottom layer: Stipe lined cutting
- Above cuttings facilitate the pressure distribution on different sections
- Cover: PU fabric, with "L" or "U"shaped zipper or zipper at the end



◆ MK-M04

Foam mattress

- Size: 193*86*9cm (Other sizes can be customerized)
- Core: Divided into 3 sections
- Top layer: Wave shaped high density foam
- Middle layer: Gel over-lay(Total 15 tubes)
- Bottom layer: High density plain foam
- Top cover: Medical standard PVC or Vinyl
- Bottom cover: Anti-slip vinyl with bands on 4 corners to fix the mattress onto the bed
- Anti-bedsore for medical use



◆ MK-M14

Main features

- Size: 18"x 16" x 2.5 "(Other sizes are available)
- Core: Ergonomic shaped high density foam
- Cover: Waterproof PU fabric, with zipper at the end
- Ties on the cover: To fix the cushion to the seat of recliner chair or wheelchair
- Providing comfortable sitting



◆ MK-M15

Main features

- Size: L200*W86.5*H9cm (Inflated)
- Air cells: Medical grade PVC /Nylon (EN-71, low toxic)), in thickness of 0.35mm, in total 22pcs air cells
- Pressure range: 30mmHg-110mmHg
- Air output: 6-8L/min
- Cylce time: 10min-12min
- Power consumption: Max. 7W
- Max loading capacity: 150kgs



◆ MK-M08

Hot-pressed integrated mattress

- Size: 190*90*10cm (Can be customerized)
- Core: Plain polyurethane foam (Different density can be available)
- Cover: PU or PVC fabric, with "L" or "U" shaped zipper or zipper at the end



◆ MK-M06

Air mattress

- Size: L200*W90*H7.5cm (Inflated)
- Air cells: Medical grade PVC /Nylon (EN-71, low toxic)), in thickness of 0.35mm, in total 22pcs air cells
- With mouth in the middle for urinary use, covered with air cells
- Pressure range: >90mmHg
- Air output: >4L/min
- Cylce time: 10min-12min
- Power consumption: Max. 7W
- Max loading capacity: 150kgs



◆ MK-M05

Air mattress

- Size: L200*W90*H6.5cm (Inflated)
- 130pcs individual bubble cells
- Material: Meidcal grade PVC(EN-71, low toxic), in thickness of 0.3mm
- Pressure range: 30mmHg-110mmHg
- Cylce time: 10min-12min
- Power consumption: Max. 7W
- Max loading capacity: 150kgs



◆ MK-M07

Air mattress



- Size: L200*W86.5*H20cm (Inflated)
- Top cover: Nylon/PU with zipper
- Air cells: Medical grade PVC /Nylon (EN-71, low toxic)), in thickness of 0.35mm, in total 20pcs air cells
- CPR quick deflate in case of emergency procedure
- Pressure range: 20mmHg-70mmHg
- Air output: 6L-8L/min
- Cylce time: 10min-15min
- Power consumption: Max. 12W
- Max loading capacity: 150kgs



◆ MK-N03

Medical Privacy Screens


Mobile Type

Folding Screens No. Of Panels		Model No. Panels Only	Length	Height
Mobile		(MK) N03-104(+1)	1.2M	1.45M
		(MK) N03-204(+1)	1.2M	1.65M
		(MK) N03-304(+1)	1.2M	1.85M
		(MK) N03-106(+1)	1.8M	1.45M
		(MK) N03-206(+1)	1.8M	1.65M
		(MK) N03-306(+1)	1.8M	1.85M
		(MK) N03-108(+1)	2.4M	1.45M
		(MK) N03-208(+1)	2.4M	1.65M
		(MK) N03-308(+1)	2.4M	1.85M
		(MK) N03-110(+1)	3M	1.45M
		(MK) N03-210(+1)	3M	1.65M
		(MK) N03-310(+1)	3M	1.85M

This trolley is intended for Folding Screens in various lengths: **from 5 to 11 sections.**



Optional colors





Optional accessories



◆ MK-N03

Medical Privacy Screens


Mobile Type

Folding Screens No. Of Panels		Model No. Panels Only	Length	Height
Wall Mounted		(MK) N03-104	1.2M	1.45M
		(MK) N03-204	1.2M	1.65M
		(MK) N03-304	1.2M	1.85M
		(MK) N03-106	1.8M	1.45M
		(MK) N03-206	1.8M	1.65M
		(MK) N03-306	1.8M	1.85M
		(MK) N03-108	2.4M	1.45M
		(MK) N03-208	2.4M	1.65M
		(MK) N03-308	2.4M	1.85M
		(MK) N03-110	3M	1.45M
		(MK) N03-210	3M	1.65M
		(MK) N03-310	3M	1.85M

This trolley is intended for Folding Screens in various lengths: **from 4 to 10 sections.**



Optional colors



◆ MK-N01

Ward Screen

Size: 2000*1200mm(2 pieces)



◆ MK-N02

Ward Screen

Size: 2000*1800mm(3 pieces)



◆ MK-N04

Ward Screen

Size: 2000*1870mm(4 pieces)



◆ YA-HC01

Hospital Curtain



◆ MK-IS01

Infusion Stand



◆ MK-IS02

Infusion Stand



◆ MK-IS03

Infusion Stand



◆ MK-IS04

Infusion Stand



◆ MK-IS05

Infusion Pump Stand



◆ MK-IS06

Infusion Pump Stand



◆ MK-IS11

Infusion Pump Stand



◆ MK-IS07

Patient Monitor Stand





medik
CSSD

◆ CSD-P01

Packing table with drawer

Preparation table
Stainless steel 304 construction
Safety folds to all edges
Single shelf with embedded LED examination light
2 drawers
Size:1000*600*850mm



◆ CSD-W01

Classifying working table

Working table
Stainless steel 304 construction
Safety folds to all edges
8 drawers, 4 from each side
Size:1800*700*800mm



◆ CSD-W02

Classifying working table

Working table
Stainless steel 304 construction
Safety folds to all edges
2 shelves
Size:1600*600*800mm



◆ CSD-W03

Electric height adjustable CSSD table

CSSD workstation
Ultra strong stainless steel 304 construction
Powerful, fast dual lift column motors
Large locking wheels
Battery operation
Overhead roll holder rail & shelf
Side mounted wrap rack
Keyboard shelf and CPU holder
Low height: <650mm
High height: >1500mm
CSSD Table size: L1200mm*W600mm
CSSD Table size: L1500mm*W900mm



◆ CSD-B01

Sterilization wire basket

Basket
Stainless steel 304 construction
Smooth finishing without sharp edge
Stackable
Size:585*395*195mm
Size:585*395*100mm



◆ CSD-S01

CSSD wire shelf

Wire Shelving storage
Stainless steel 304 construction
Smooth finishing without sharp edge
Wire shelves for ventilation
Size:1000*460*1820mm



◆ CSD-T01

Sterile transport cart

Whole stainless steel structure
Highly dust-proof, fully enclosed
Four Dia150 noiseless casters
Size:1200*700*1400mm



◆ CSD-S02

Wire shelving systems

Infection Control Infection control and cleanliness within healthcare facilities can be improved through the wire mesh design which allows dust to fall through and not collect. The wire can also be easily wiped down and cleaned allowing clinicians to maintain sterile stores and clean spaces. Flat pack cartons contain:
5x stainless steel wire shelves
4x stainless steel posts
Assembly instructions
Size:2000*460*1820mm



◆ CSD-BT01

Sterilization basket trolley double column

Basket trolley
Stainless steel 304 construction
Smooth finishing without sharp edge
Pushing handle
Size:1050(1210with handle)*600*1450mm
Basket size: 530*450*180mm



◆ CSD-C01

Stainless steel cupboard

Stainless steel cupboard
High grade stainless steel 304
Safety folds to all edges
2 glass doors with lock
Adjustable shelves
Size: 960*400*1750mm



◆ CSD-BT02

Sterilization basket trolley single column

Basket trolley
Stainless steel 304 construction
Smooth finishing without sharp edge
Pushing handle
Size:615(690 with handle)*490*1780mm
Basket size:530*450*180mm



◆ CSD-C02

Stainless steel cupboard

Stainless steel cupboard
High grade stainless steel 304
Safety folds to all edges
2 glass doors with lock
Adjustable 3 shelves
2 Cabinets
Size: 960*400*1750mm



◆ CSD-PB01

Sterile container

1/1 Full size sterile container (standard model)
Dimensions: L600*W285*H110-260mm
3/4 Three-Quarter size sterile container (standard model)
Dimensions: L485*W285*H110-155mm
1/2 Half size sterile container (standard model)
Dimensions: L310*W280*H110-260mm



◆ CSD-SR01

Scrub sink

All stainless steel construction
All inside corners are rounded for ease in cleaning
Thermostatically controlled mixing valve for proper water temperature
Gooseneck faucet with Infrared/hands free controls
Soap dispenser with Infrared/hands-free control
Size: 810*580*1210mm



◆ CSD-DB01

Pass box

Reliable mechanical interlock
SS 304 base surface
Widely used in microbiology laboratories in food, CSSD, pharmaceutical and chemical industries.
Size: 600*600*600mm



◆ CSD-SR02

Scrub sink

All stainless steel construction
Marine edge counter-top
Gooseneck faucet with breaker
Foot-pedal operated water control
Usable cabinet space beneath sink
Size: 760*610*1020mm



◆ CSD-SR03

Scrub sink

All stainless steel construction
All inside corners are rounded for ease in cleaning
Thermostatically controlled mixing valve for proper water temperature
Gooseneck faucet with Infrared/hands free controls
With soap dispenser
Size: 1200*600*1800mm



◆ CSD-SR05

Scrub sink


All stainless steel construction
All inside corners are rounded for ease in cleaning
Thermostatically controlled mixing valve for proper water temperature
Foot-pedal operated water control
With soap dispenser
Size : 1200*600*1000mm(customized)



◆ CSD-SR04

Scrub sink

All stainless steel construction
All inside corners are rounded for ease in cleaning
Thermostatically controlled mixing valve for proper water temperature
Foot-pedal operated water control
With soap dispenser
Size: 1800*600*1800mm



Better Care , Better Comfortable



Lined area for notes, consisting of 18 horizontal dashed lines.



Better Care , Better Comfortable